



## **The EDR Radius Map with GeoCheck®**

**7.87-Acre Marietta Site  
Manget Street and Frasier St  
Marietta, GA 30060**

**Inquiry Number: 1350654.2s**

**January 28, 2005**

## **The Standard in Environmental Risk Management Information**

440 Wheelers Farms Road  
Milford, Connecticut 06460

### **Nationwide Customer Service**

Telephone: 1-800-352-0050  
Fax: 1-800-231-6802  
Internet: [www.edrnet.com](http://www.edrnet.com)

## TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary .....	ES1
Overview Map .....	2
Detail Map .....	3
Map Findings Summary .....	4
Map Findings .....	6
Orphan Summary .....	90
Government Records Searched/Data Currency Tracking .....	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum .....	A-1
Physical Setting Source Summary .....	A-2
Physical Setting Source Map .....	A-7
Physical Setting Source Map Findings .....	A-8
Physical Setting Source Records Searched .....	A-10

***Thank you for your business.***  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

### Disclaimer - Copyright and Trademark Notice

This report contains information obtained from a variety of public and other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL EDR BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES.** It can not be concluded from this report that coverage information for the target and surrounding properties does not exist from other sources. Any analyses, estimates, ratings or risk codes provided in this report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Any liability on the part of EDR is strictly limited to a refund of the amount paid for this report.

Copyright 2005 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc. (EDR). The report meets the government records search requirements of ASTM Standard Practice for Environmental Site Assessments, E 1527-00. Search distances are per ASTM standard or custom distances requested by the user.

### TARGET PROPERTY INFORMATION

#### ADDRESS

MANGET STREET AND FRASIER ST  
MARIETTA, GA 30060

#### COORDINATES

Latitude (North):	33.946000 - 33° 56' 45.6"
Longitude (West):	84.538800 - 84° 32' 19.7"
Universal Transverse Mercator:	Zone 16
UTM X (Meters):	727461.9
UTM Y (Meters):	3758703.5
Elevation:	1127 ft. above sea level

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property:	33084-H5 MARIETTA, GA
Source:	USGS 7.5 min quad index

### TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

### DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ( "reasonably ascertainable " ) government records either on the target property or within the ASTM E 1527-00 search radius around the target property for the following databases:

### FEDERAL ASTM STANDARD

NPL.....	National Priority List
Proposed NPL.....	Proposed National Priority List Sites
CERC-NFRAP.....	CERCLIS No Further Remedial Action Planned
CORRACTS.....	Corrective Action Report
RCRA-TSDF.....	Resource Conservation and Recovery Act Information
RCRA-LQG.....	Resource Conservation and Recovery Act Information
ERNS.....	Emergency Response Notification System

### STATE ASTM STANDARD

SHWS.....	Hazardous Site Inventory
-----------	--------------------------

## EXECUTIVE SUMMARY

**SWF/LF**..... Solid Waste Disposal Facilities  
**HIST LF**..... Historical Landfills

### FEDERAL ASTM SUPPLEMENTAL

**CONSENT**..... Superfund (CERCLA) Consent Decrees  
**ROD**..... Records Of Decision  
**Delisted NPL**..... National Priority List Deletions  
**HMIRS**..... Hazardous Materials Information Reporting System  
**MLTS**..... Material Licensing Tracking System  
**MINES**..... Mines Master Index File  
**NPL Liens**..... Federal Superfund Liens  
**PADS**..... PCB Activity Database System  
**ODI**..... Open Dump Inventory  
**UMTRA**..... Uranium Mill Tailings Sites  
**FUDS**..... Formerly Used Defense Sites  
**INDIAN RESERV**..... Indian Reservations  
**RAATS**..... RCRA Administrative Action Tracking System  
**TRIS**..... Toxic Chemical Release Inventory System  
**TSCA**..... Toxic Substances Control Act  
**SSTS**..... Section 7 Tracking Systems  
**FTTS INSP**..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

### STATE OR LOCAL ASTM SUPPLEMENTAL

**GA Spills**..... Spills Information

### EDR PROPRIETARY HISTORICAL DATABASES

**Coal Gas**..... Former Manufactured Gas (Coal Gas) Sites

### BROWNFIELDS DATABASES

**US BROWNFIELDS**..... A Listing of Brownfields Sites

### SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property. Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

## EXECUTIVE SUMMARY

### **FEDERAL ASTM STANDARD**

**CERCLIS:** The Comprehensive Environmental Response, Compensation and Liability Information System contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA).

CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

A review of the CERCLIS list, as provided by EDR, and dated 08/10/2004 has revealed that there is 1 CERCLIS site within approximately 0.625 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>DAYTONA ANTIFREEZE CO</b>	<b>542 BUTLER ST SE</b>	<b>1/2 - 1 SSW</b>	<b>31</b>	<b>85</b>

**RCRAInfo:** RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act ( RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System(RCRIS). The database includes selective information on sites which generate, transport, store , treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month Large quantity generators generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

A review of the RCRA-SQG list, as provided by EDR, and dated 11/23/2004 has revealed that there are 6 RCRA-SQG sites within approximately 0.375 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>COMMERCIAL PROPERTY</b>	<b>157 SOUTH FAIRGROUND ST</b>	<b>1/8 - 1/4 NE</b>	<b>B6</b>	<b>12</b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>FAIRGROUND BODY SHOP</b>	<b>346 MANGET ST</b>	<b>0 - 1/8 SW</b>	<b>1</b>	<b>6</b>
<b>ATLANTA LABORATORIES INC</b>	<b>130 SOUTH AVE</b>	<b>1/8 - 1/4 NNE</b>	<b>2</b>	<b>6</b>
<b>MINIT-LUBE #1164</b>	<b>577 CLAY ST</b>	<b>1/4 - 1/2 SW</b>	<b>10</b>	<b>16</b>
<b>IMPORTS MAINTENANCE CENTER INC</b>	<b>522 ROSWELL ST</b>	<b>1/4 - 1/2 NNE</b>	<b>F21</b>	<b>42</b>
<b>CHOICE CLEANERS</b>	<b>595 ROSWELL ST</b>	<b>1/4 - 1/2 NE</b>	<b>H23</b>	<b>55</b>

### **STATE ASTM STANDARD**

**LUST:** The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Natural Resources' Confirmed Release List.

A review of the LUST list, as provided by EDR, and dated 11/03/2004 has revealed that there are 16

## EXECUTIVE SUMMARY

LUST sites within approximately 0.625 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>PAINTERS TEXACO/U-HAUL TRUCK &amp; BOWLES OIL CO</b>	<b>436 ROSWELL ST</b>	<b>1/4 - 1/2 N</b>	<b>D11</b>	<b>17</b>
<b>Y-ONE GROCERY &amp; GAS STATION/FO</b>	<b>31 ROCK ST</b>	<b>1/4 - 1/2 NNE</b>	<b>F17</b>	<b>32</b>
<b>MARIETTA NATIONAL CEMETERY</b>	<b>326 ROSWELL ST</b>	<b>1/4 - 1/2 NNW</b>	<b>G20</b>	<b>42</b>
	<b>500 WASHINGTON AVE</b>	<b>1/4 - 1/2 N</b>	<b>26</b>	<b>69</b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>SHELL FOOD MART</b>	<b>455 S MARIETTA PKWY</b>	<b>1/8 - 1/4 SSW</b>	<b>A4</b>	<b>9</b>
<b>Q LUBE INC #1164</b>	<b>577 CLAY ST</b>	<b>1/8 - 1/4 SE</b>	<b>C8</b>	<b>12</b>
TRICO V PETROLEUM INC #930	600 S MARIETTA PKWY CLA	1/4 - 1/2 SE	C9	16
<b>CHEVRON #43048 (FORMER)</b>	<b>603 SOUTH MARIETTA PKWY</b>	<b>1/4 - 1/2 ESE</b>	<b>E14</b>	<b>27</b>
<b>JETTS TEXACO/LITTLES TEXACO/AM</b>	<b>556 ROSWELL ST</b>	<b>1/4 - 1/2 NE</b>	<b>H24</b>	<b>55</b>
<b>AT&amp;T GA 4002</b>	<b>27 NORTH FAIRGROUND ST</b>	<b>1/4 - 1/2 NNE</b>	<b>25</b>	<b>68</b>
<b>UNITED PARCEL SERVICE-MARIETTA</b>	<b>463 COMMERCE PARK DR</b>	<b>1/4 - 1/2 SE</b>	<b>27</b>	<b>70</b>
<b>SEARS ROEBUCK &amp; CO #8275</b>	<b>460 GLOVER ST</b>	<b>1/4 - 1/2 S</b>	<b>28</b>	<b>74</b>
<b>GENE &amp; GARY'S TEXACO</b>	<b>529 ATLANTA STREET</b>	<b>1/2 - 1 SW</b>	<b>29</b>	<b>76</b>
<b>LANCE OIL</b>	<b>749 CLAY ST</b>	<b>1/2 - 1 ESE</b>	<b>30</b>	<b>80</b>
<b>U HAUL #77661</b>	<b>706 ROSWELL ST</b>	<b>1/2 - 1 NE</b>	<b>I32</b>	<b>86</b>
<b>CHEVRON FOOD MART #160</b>	<b>811 S MARIETTA PKWY</b>	<b>1/2 - 1 ESE</b>	<b>34</b>	<b>88</b>

**UST:** The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Natural Resources' Underground Storage Tank Database.

A review of the UST list, as provided by EDR, and dated 02/26/2004 has revealed that there are 12 UST sites within approximately 0.375 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>PAINTERS TEXACO/U-HAUL TRUCK &amp; HARMON GLASS PROPERTY</b>	<b>436 ROSWELL ST</b>	<b>1/4 - 1/2 N</b>	<b>D11</b>	<b>17</b>
<b>MAINT &amp; WAREHOUSE FUELING STAT</b>	<b>456 ROSWELL ST</b>	<b>1/4 - 1/2 N</b>	<b>D12</b>	<b>23</b>
<b>GETZ EXTERMINATORS OF GA INC</b>	<b>358 ROSWELL RD</b>	<b>1/4 - 1/2 NNW</b>	<b>13</b>	<b>25</b>
<b>ROCK ST CARD STATION</b>	<b>507 ROSWELL ST</b>	<b>1/4 - 1/2 NNE</b>	<b>F15</b>	<b>29</b>
<b>BOWLES OIL CO</b>	<b>24 ROCK ST</b>	<b>1/4 - 1/2 NNE</b>	<b>F16</b>	<b>30</b>
<b>Y-ONE GROCERY &amp; GAS STATION/FO</b>	<b>31 ROCK ST</b>	<b>1/4 - 1/2 NNE</b>	<b>F17</b>	<b>32</b>
	<b>326 ROSWELL ST</b>	<b>1/4 - 1/2 NNW</b>	<b>G19</b>	<b>35</b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>MARIETTA FENCE CO INC</b>	<b>486 MANGET ST SE</b>	<b>1/8 - 1/4 SSW</b>	<b>A3</b>	<b>7</b>
<b>SHELL FOOD MART</b>	<b>455 S MARIETTA PKWY</b>	<b>1/8 - 1/4 SSW</b>	<b>A5</b>	<b>9</b>
<b>Q LUBE INC #1164</b>	<b>577 CLAY ST</b>	<b>1/8 - 1/4 SE</b>	<b>C8</b>	<b>12</b>
<b>CHEVRON #43048 (FORMER)</b>	<b>603 SOUTH MARIETTA PKWY</b>	<b>1/4 - 1/2 ESE</b>	<b>E14</b>	<b>27</b>
<b>SMITH BROTHERS SERVICE STATION</b>	<b>591 S MARIETTA PKWY</b>	<b>1/4 - 1/2 ESE</b>	<b>E22</b>	<b>42</b>

### FEDERAL ASTM SUPPLEMENTAL

**FINDS:** The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIS; Permit Compliance System (PCS);

## EXECUTIVE SUMMARY

Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 09/09/2004 has revealed that there is 1 FINDS site within approximately 0.125 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>FAIRGROUND BODY SHOP</b>	<b>346 MANGET ST</b>	<b>0 - 1/8 SW</b>	<b>1</b>	<b>6</b>

**Federal Lands:** Consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

A review of the DOD list, as provided by EDR, and dated 10/01/2003 has revealed that there is 1 DOD site within approximately 1.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
DOBBINS AIR FORCE BASE		1/2 - 1 SSE	0	6

### STATE OR LOCAL ASTM SUPPLEMENTAL

**Non-HSI:** Georgia Non Hazardous Site Inventory Sites.

A review of the GA NON-HSI list, as provided by EDR, has revealed that there are 8 GA NON-HSI sites within approximately 1.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
157 SOUTH FAIRGROUND STREET	157 SOUTH FAIRGROUND ST	1/8 - 1/4 NE	B7	12
LIFE INSURANCE CO. OF GA.	515 ROSWELL ST.	1/4 - 1/2 NNE	F18	35
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>DAYTONA ANTIFREEZE CO</b>	<b>542 BUTLER ST SE</b>	<b>1/2 - 1 SSW</b>	<b>31</b>	<b>85</b>
TIRE EMPIRE	737 ROSWELL ST.	1/2 - 1 NE	I33	87
FORMER GLOVER MACHINE WORKS	651 BUTLER ST.	1/2 - 1 SSW	35	88
85-95 CHURCH STREET	85-95 CHURCH STREET	1/2 - 1 NW	36	88
BLAIR MFG. CO.	111 N MARIETTA PKWY.	1 - 2 NNW	37	88
SOUTHERN TECH	1100 S. MARIETTA PKWY	1 - 2 ESE	38	89


## EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

<u>Site Name</u>	<u>Database(s)</u>
MARIETTA MERCURY SPILL	CERC-NFRAP
CREATWOOD FARMS	LUST, UST
CHEVRON/DALE HARVEY (FORMER)	FINDS, LUST, UST
MAULDIN TEXACO (FORMER)	LUST, UST
SOUTHERN BELL CABLE VAULT	FINDS, LUST, UST
UNITED FOOD AND GAS INC	FINDS, LUST, UST
FAST SHOP SHELL	UST
TRICO V PETROLEUM INC #930	FINDS, UST
TIP TOP FOODS OF GEORGIA	FINDS, UST
SUPERIOR OPTICS INC	RCRA-SQG, FINDS
BST MRTTGAEA F5379	RCRA-SQG, FINDS
THE GLIDDEN CO DBA ICI PAINT	RCRA-SQG
MARIETTA BLVD AND CARROL DR	ERNS
MARIETTA BLVD AND CARROL DR	ERNS
MARIETTA MILLWORKS	ERNS
TWO BLOCKS OFF MARIETTA SQUARE ON WEST END OF HWY 120	ERNS
CITY OF MARIETTA	GA Spills
MARIETTA WATER & SEWER	GA Spills
UNKNOWN E & S SITE	GA Spills
MARIETTA WATER	GA Spills
MARIETTA WATER AND SEWER	GA Spills
CITY OF MARIETTA	GA Spills
MARIETTA WATER	GA Spills
THOMPSON-HAYWARD CO.	GA NON-HSI



# OVERVIEW MAP - 1350654.2s - Geo-Hydro Engineers, Inc.



★ Target Property

▲ Sites at elevations higher than or equal to the target property

◆ Sites at elevations lower than the target property

▲ Coal Gasification Sites

■ National Priority List Sites

■ Landfill Sites

■ Dept. Defense Sites

■ Indian Reservations BIA

— Power transmission lines

— Oil & Gas pipelines

■ 100-year flood zone

■ 500-year flood zone

■ Federal Wetlands

0 1/2 1 2 Miles

TARGET PROPERTY: 7.87-Acre Marietta Site  
ADDRESS: Manget Street and Frasier St  
CITY/STATE/ZIP: Marietta GA 30060  
LAT/LONG: 33.9460 / 84.5388

CUSTOMER: Geo-Hydro Engineers, Inc.  
CONTACT: John O'Brien  
INQUIRY #: 1350654.2s  
DATE: January 28, 2005 3:06 pm

# DETAIL MAP - 1350654.2s - Geo-Hydro Engineers, Inc.



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ⚡ Coal Gasification Sites
- ⚡ Sensitive Receptors
- ⚡ National Priority List Sites
- ⚡ Landfill Sites
- ⚡ Dept. Defense Sites

- Indian Reservations BIA
- Oil & Gas pipelines
- 100-year flood zone
- 500-year flood zone



**TARGET PROPERTY:** 7.87-Acre Marietta Site  
**ADDRESS:** Manget Street and Frasier St  
**CITY/STATE/ZIP:** Marietta GA 30060  
**LAT/LONG:** 33.9460 / 84.5388

**CUSTOMER:** Geo-Hydro Engineers, Inc.  
**CONTACT:** John O'Brien  
**INQUIRY #:** 1350654.2s  
**DATE:** January 28, 2005 3:07 pm

## MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b><u>FEDERAL ASTM STANDARD</u></b>								
NPL		1.125	0	0	0	0	0	0
Proposed NPL		1.125	0	0	0	0	0	0
CERCLIS		0.625	0	0	0	1	NR	1
CERC-NFRAP		0.375	0	0	0	NR	NR	0
CORRACTS		1.125	0	0	0	0	0	0
RCRA TSD		0.625	0	0	0	0	NR	0
RCRA Lg. Quan. Gen.		0.375	0	0	0	NR	NR	0
RCRA Sm. Quan. Gen.		0.375	1	2	3	NR	NR	6
ERNS		0.125	0	NR	NR	NR	NR	0
<b><u>STATE ASTM STANDARD</u></b>								
State Haz. Waste		1.125	0	0	0	0	0	0
State Landfill		0.625	0	0	0	0	NR	0
LUST		0.625	0	2	10	4	NR	16
UST		0.375	0	3	9	NR	NR	12
HIST LF		0.625	0	0	0	0	NR	0
<b><u>FEDERAL ASTM SUPPLEMENTAL</u></b>								
CONSENT		1.125	0	0	0	0	0	0
ROD		1.125	0	0	0	0	0	0
Delisted NPL		1.125	0	0	0	0	0	0
FINDS		0.125	1	NR	NR	NR	NR	1
HMIRS		0.125	0	NR	NR	NR	NR	0
MLTS		0.125	0	NR	NR	NR	NR	0
MINES		0.375	0	0	0	NR	NR	0
NPL Liens		0.125	0	NR	NR	NR	NR	0
PADS		0.125	0	NR	NR	NR	NR	0
ODI		0.625	0	0	0	0	NR	0
UMTRA		0.625	0	0	0	0	NR	0
FUDS		1.125	0	0	0	0	0	0
INDIAN RESERV		1.125	0	0	0	0	0	0
DOD		1.125	0	0	0	1	0	1
RAATS		0.125	0	NR	NR	NR	NR	0
TRIS		0.125	0	NR	NR	NR	NR	0
TSCA		0.125	0	NR	NR	NR	NR	0
SSTS		0.125	0	NR	NR	NR	NR	0
FTTS		0.125	0	NR	NR	NR	NR	0
<b><u>STATE OR LOCAL ASTM SUPPLEMENTAL</u></b>								
GA Spills		0.125	0	NR	NR	NR	NR	0
Non-HSI		1.125	0	1	1	4	2	8
<b><u>EDR PROPRIETARY HISTORICAL DATABASES</u></b>								
Coal Gas		1.125	0	0	0	0	0	0

## MAP FINDINGS SUMMARY

<u>Database</u>	<u>Target Property</u>	<u>Search Distance (Miles)</u>	<u>&lt; 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>&gt; 1</u>	<u>Total Plotted</u>
<b><u>BROWNFIELDS DATABASES</u></b>								
US BROWNFIELDS		0.625	0	0	0	0	NR	0

**NOTES:**

AQUIFLOW - see EDR Physical Setting Source Addendum

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**Coal Gas Site Search: No site was found in a search of Real Property Scan's ENVIROHAZ database.**

**DOD**  
**Region**  
**SSE**  
**1/2-1**  
**3285 ft.**

**DOBBINS AIR FORCE BASE**  
**COBB (County), GA**

**DOD** **CDOD043924**  
**N/A**

**FEDERAL LANDS:**

Feature 1: Air Force DOD  
Feature 2: Not reported  
Feature 3: Not reported  
Agency: DOD  
URL: Not reported  
Name 1: Dobbins Air Force Base  
Name 2: Not reported  
Name 3: Not reported  
State: GA

**1**  
**SW**  
**< 1/8**  
**448 ft.**

**FAIRGROUND BODY SHOP**  
**346 MANGET ST**  
**MARIETTA, GA 30060**

**RCRA-SQG** **1000357903**  
**FINDS** **GAD981244825**

**Relative:**  
**Lower**

RCRAInfo:  
Owner: BLACK KIM/FAIRGROUND BODY SHOP INC.  
(404) 333-8073  
EPA ID: GAD981244825  
Contact: KIM BLACK  
(404) 429-1288

**Actual:**  
**1101 ft.**

Classification: Small Quantity Generator  
TSDF Activities: Not reported  
Violation Status: No violations found

**FINDS:**

Other Pertinent Environmental Activity Identified at Site:  
Resource Conservation and Recovery Act Information system

**2**  
**NNE**  
**1/8-1/4**  
**887 ft.**

**ATLANTA LABORATORIES INC**  
**130 SOUTH AVE**  
**MARIETTA, GA 30060**

**RCRA-SQG** **1000906634**  
**FINDS** **GA0000487140**

**Relative:**  
**Lower**

RCRAInfo:  
Owner: ALEX HODGES  
(310) 470-9945  
EPA ID: GA0000487140  
Contact: ROBERT HARRIS  
(404) 590-7401

**Actual:**  
**1123 ft.**

Classification: Small Quantity Generator  
TSDF Activities: Not reported

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**ATLANTA LABORATORIES INC (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**1000906634**

Violation Status: No violations found

**FINDS:**

Other Pertinent Environmental Activity Identified at Site:  
Resource Conservation and Recovery Act Information system

**A3**  
**SSW**  
**1/8-1/4**  
**907 ft.**  
**MARIETTA FENCE CO INC**  
**486 MANGET ST SE**  
**MARIETTA, GA 30060**

**FINDS** **1006781716**  
**UST** **110013510833**

**Site 1 of 3 in cluster A**

**Relative:**  
**Lower**

**FINDS:**

Other Pertinent Environmental Activity Identified at Site:  
Georgia Environmental Information Management System

**Actual:**  
**1084 ft.**

**UST:**

Facility ID: 330223  
Total Tanks: 2  
Tank ID: 1  
Material: Steel  
Capacity: 1011.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: MARIETTA FENCE CO INC  
Owner ID: 2122  
486 MANGET ST SE  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 422-1811  
Product: Gas  
Status: Installed  
Status Date: 03/14/68  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330223  
Total Tanks: 2  
Tank ID: 1  
Material: Steel  
Capacity: 1011.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: MARIETTA FENCE CO INC  
Owner ID: 2122  
486 MANGET ST SE  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 422-1811  
Product: Gas  
Status: Removed From Ground  
Status Date: 01/11/89  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**MARIETTA FENCE CO INC (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**1006781716**

Facility ID: 330223  
Total Tanks: 2  
Tank ID: 1  
Material: Steel  
Capacity: 1011.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: MARIETTA FENCE CO INC  
Owner ID: 2122  
486 MANGET ST SE  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 422-1811  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330223  
Total Tanks: 2  
Tank ID: 2  
Material: Fiberglass  
Capacity: 4000.00  
Overfill Protection:  
Spill Date : 01/11/89  
Overfill Installed : 01/11/89  
Tank Exempt From Spill : Not reported  
Owner: MARIETTA FENCE CO INC  
Owner ID: 2122  
486 MANGET ST SE  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 422-1811  
Product: Gas  
Status: Installed  
Status Date: 01/11/89  
Pipe Type : Suction: Valve At The Tank  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330223  
Total Tanks: 2  
Tank ID: 2  
Material: Fiberglass  
Capacity: 4000.00  
Overfill Protection:  
Spill Date : 01/11/89  
Overfill Installed : 01/11/89  
Tank Exempt From Spill : Not reported  
Owner: MARIETTA FENCE CO INC  
Owner ID: 2122  
486 MANGET ST SE  
MARIETTA, GA 30060  
Owner County: Not reported

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**MARIETTA FENCE CO INC (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**1006781716**

Owner Phone (770) 422-1811  
Product: Gas  
Status: Temporarily Out Of Use  
Status Date: 01/01/00  
Pipe Type : Suction: Valve At The Tank  
Pipe Material: Fiberglass Reinforced Plastic

**A4 SHELL FOOD MART**  
**SSW 455 S MARIETTA PKWY**  
**1/8-1/4 MARIETTA, GA 30060**  
**1008 ft.**

**FINDS 1006789348**  
**LUST 110013587671**

**Site 2 of 3 in cluster A**

**Relative:**  
**Lower**

**FINDS:**

Other Pertinent Environmental Activity Identified at Site:  
Georgia Environmental Information Management System

**Actual:**  
**1080 ft.**

**LUST:**

Facility ID: 09033236  
Leak ID: 1  
Date Received: 4/15/1998  
Project Officer: Revell-Robinson,Isabelle  
Description: Suspected Release Received

Facility ID: 09033236  
Leak ID: 2  
Date Received: 10/18/1999  
Project Officer: Muhanna,Shaheer L  
Description: Suspected Release Received

Facility ID: 09033236  
Leak ID: 3  
Date Received: 2/18/2000  
Project Officer: Muhanna,Shaheer L  
Description: Suspected Release Received

Facility ID: 09033236  
Leak ID: 4  
Date Received: 3/14/2000  
Project Officer: Muhanna,Shaheer L  
Description: Suspected Release Received

**A5 SHELL FOOD MART**  
**SSW 455 S MARIETTA PKWY**  
**1/8-1/4 MARIETTA, GA 30060**  
**1015 ft.**

**UST U003936393**  
**N/A**

**Site 3 of 3 in cluster A**

**Relative:**  
**Lower**

**UST:**

Facility ID: 9033236  
Total Tanks: 3  
Tank ID: 1  
Material: Composite  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : 01/01/91  
Tank Exempt From Spill : Not reported  
Owner: JIM TUDOR

**Actual:**  
**1080 ft.**



Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**SHELL FOOD MART (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003936393**

Owner ID: 52577  
455 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone 678-213-9999  
Product: Gas  
Status: Installed  
Status Date: 01/01/87  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 9033236  
Total Tanks: 3  
Tank ID: 1  
Material: Composite  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : 01/01/91  
Tank Exempt From Spill : Not reported  
Owner: JIM TUDOR  
Owner ID: 52577

455 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone 678-213-9999  
Product: Gas  
Status: Currently In Use  
Status Date: 12/19/03  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 9033236  
Total Tanks: 3  
Tank ID: 2  
Material: Composite  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : 01/01/91  
Tank Exempt From Spill : Not reported  
Owner: JIM TUDOR  
Owner ID: 52577

455 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone 678-213-9999  
Product: Gas  
Status: Installed  
Status Date: 01/01/87  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 9033236  
Total Tanks: 3  
Tank ID: 2  
Material: Composite

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**SHELL FOOD MART (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003936393**

Capacity: 10000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : 01/01/91  
Tank Exempt From Spill : Not reported  
Owner: JIM TUDOR  
Owner ID: 52577  
455 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone 678-213-9999  
Product: Gas  
Status: Currently In Use  
Status Date: 12/19/03  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 9033236  
Total Tanks: 3  
Tank ID: 3  
Material: Composite  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : 01/01/91  
Tank Exempt From Spill : Not reported  
Owner: JIM TUDOR  
Owner ID: 52577  
455 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone 678-213-9999  
Product: Gas  
Status: Installed  
Status Date: 01/01/87  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 9033236  
Total Tanks: 3  
Tank ID: 3  
Material: Composite  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : 01/01/91  
Tank Exempt From Spill : Not reported  
Owner: JIM TUDOR  
Owner ID: 52577  
455 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone 678-213-9999  
Product: Gas  
Status: Currently In Use  
Status Date: 12/19/03  
Pipe Type : Pressure

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**SHELL FOOD MART (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

Pipe Material: Fiberglass Reinforced Plastic

**U003936393**

**B6  
NE  
1/8-1/4  
1204 ft.**

**COMMERCIAL PROPERTY  
157 SOUTH FAIRGROUND STREET  
MARIETTA, GA 30060**

**RCRA-SQG  
FINDS**

**1004688180  
GAR000021824**

**Site 1 of 2 in cluster B**

**Relative:  
Higher**

RCRAInfo:

Owner: BO POUNDS  
(770) 419-0085  
EPA ID: GAR000021824

**Actual:  
1129 ft.**

Contact: Not reported

Classification: Small Quantity Generator  
TSDF Activities: Not reported

Violation Status: No violations found

**FINDS:**

Other Pertinent Environmental Activity Identified at Site:  
Resource Conservation and Recovery Act Information system

**B7  
NE  
1/8-1/4  
1206 ft.**

**157 SOUTH FAIRGROUND STREET  
157 SOUTH FAIRGROUND STREET  
MARIETTA, GA 0Cobb**

**GA NON-HSI**

**S104819251  
N/A**

**Site 2 of 2 in cluster B**

**Relative:  
Higher**

Non-HSI:

Latitude/Longitude: 33.947611 / 84.539889  
Ground Water Pathway Score: 0.99  
On-Site Pathway Score: 0.00  
Report Date: Oct-99  
Contaminants: lead; 2,4-dimethylphenol

**Actual:  
1129 ft.**

**C8  
SE  
1/8-1/4  
1249 ft.**

**Q LUBE INC #1164  
577 CLAY ST  
MARIETTA, GA 30060**

**LUST  
UST**

**U003001994  
N/A**

**Site 1 of 2 in cluster C**

**Relative:  
Lower**

LUST:

Facility ID: 00330457  
Leak ID: 1  
Date Received: 11/25/1998  
Project Officer: McAllister, Amy J  
Description: Confirmed Release Received

**Actual:  
1089 ft.**

UST:

Facility ID: 330457  
Total Tanks: 3  
Tank ID: 1  
Material: Cathodically Protected Steel  
Capacity: 5000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**Q LUBE INC #1164 (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003001994**

Tank Exempt From Spill : Not reported  
Owner: Q LUBE INC  
Owner ID: 241  
1385 W 2200 S  
SALT LAKE CITY, UT 84119  
Owner County: Not reported  
Owner Phone (801) 972-6667  
Product: Other  
Status: Installed  
Status Date: 01/01/87  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330457  
Total Tanks: 3  
Tank ID: 1  
Material: Cathodically Protected Steel  
Capacity: 5000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: Q LUBE INC  
Owner ID: 241  
1385 W 2200 S  
SALT LAKE CITY, UT 84119  
Owner County: Not reported  
Owner Phone (801) 972-6667  
Product: Other  
Status: Removed From Ground  
Status Date: 09/01/98  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330457  
Total Tanks: 3  
Tank ID: 1  
Material: Cathodically Protected Steel  
Capacity: 5000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: Q LUBE INC  
Owner ID: 241  
1385 W 2200 S  
SALT LAKE CITY, UT 84119  
Owner County: Not reported  
Owner Phone (801) 972-6667  
Product: Other  
Status: Upgrade Repair Not Marked  
Status Date: 11/30/98  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330457  
Total Tanks: 3

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**Q LUBE INC #1164 (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003001994**

Tank ID: 2  
Material: Cathodically Protected Steel  
Capacity: 3000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: Q LUBE INC  
Owner ID: 241  
1385 W 2200 S  
SALT LAKE CITY, UT 84119  
  
Owner County: Not reported  
Owner Phone (801) 972-6667  
Product: Other  
Status: Installed  
Status Date: 01/01/87  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel  
  
Facility ID: 330457  
Total Tanks: 3  
Tank ID: 2  
Material: Cathodically Protected Steel  
Capacity: 3000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: Q LUBE INC  
Owner ID: 241  
1385 W 2200 S  
SALT LAKE CITY, UT 84119  
  
Owner County: Not reported  
Owner Phone (801) 972-6667  
Product: Other  
Status: Removed From Ground  
Status Date: 09/01/98  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel  
  
Facility ID: 330457  
Total Tanks: 3  
Tank ID: 2  
Material: Cathodically Protected Steel  
Capacity: 3000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: Q LUBE INC  
Owner ID: 241  
1385 W 2200 S  
SALT LAKE CITY, UT 84119  
  
Owner County: Not reported  
Owner Phone (801) 972-6667  
Product: Other  
Status: Upgrade Repair Not Marked

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**Q LUBE INC #1164 (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003001994**

Status Date: 11/30/98  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330457  
Total Tanks: 3  
Tank ID: 3  
Material: Cathodically Protected Steel  
Capacity: 2000.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: Q LUBE INC  
Owner ID: 241

1385 W 2200 S  
SALT LAKE CITY, UT 84119

Owner County: Not reported  
Owner Phone (801) 972-6667  
Product: Used Oil  
Status: Installed  
Status Date: 01/01/87  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330457  
Total Tanks: 3  
Tank ID: 3  
Material: Cathodically Protected Steel  
Capacity: 2000.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: Q LUBE INC  
Owner ID: 241

1385 W 2200 S  
SALT LAKE CITY, UT 84119

Owner County: Not reported  
Owner Phone (801) 972-6667  
Product: Used Oil  
Status: Removed From Ground  
Status Date: 09/01/98  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330457  
Total Tanks: 3  
Tank ID: 3  
Material: Cathodically Protected Steel  
Capacity: 2000.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: Q LUBE INC  
Owner ID: 241

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**Q LUBE INC #1164 (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003001994**

1385 W 2200 S  
SALT LAKE CITY, UT 84119  
Owner County: Not reported  
Owner Phone: (801) 972-6667  
Product: Used Oil  
Status: Upgrade Repair Not Marked  
Status Date: 11/30/98  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

**C9**  
**SE**  
**1/4-1/2**  
**1475 ft.**

**TRICO V PETROLEUM INC #930**  
**600 S MARIETTA PKWY CLAY ST**  
**MARIETTA, GA 30060**

**LUST** **S105052873**  
**N/A**

**Site 2 of 2 in cluster C**

**Relative:**  
**Lower**

**LUST:**  
Facility ID: 00330327  
Leak ID: 1  
Date Received: 9/14/1993  
Project Officer: Boutelle,Brian R  
Description: Suspected Release Received

**Actual:**  
**1084 ft.**

Facility ID: 00330327  
Leak ID: 1  
Date Received: 10/14/1993  
Project Officer: Boutelle,Brian R  
Description: Confirmed Release Received

Facility ID: 00330327  
Leak ID: 2  
Date Received: 7/2/1998  
Project Officer: Jones,F. Calvin  
Description: Confirmed Release Received

**10**  
**SW**  
**1/4-1/2**  
**1527 ft.**

**MINIT-LUBE #1164**  
**577 CLAY ST**  
**MARIETTA, GA 30060**

**RCRA-SQG** **1000461402**  
**FINDS** **GAD981278583**

**Relative:**  
**Lower**

**RCRAInfo:**  
Owner: QUAKER STATE MINIT LUBE INC  
UNKNOWN  
EPA ID: GAD981278583  
Contact: BOBBY WATSON  
(404) 429-8840

**Actual:**  
**1111 ft.**

Classification: Small Quantity Generator  
TSDF Activities: Not reported

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**MINIT-LUBE #1164 (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

Violation Status: No violations found

**1000461402**

**FINDS:**

Other Pertinent Environmental Activity Identified at Site:  
Resource Conservation and Recovery Act Information system

**D11**  
**North**  
**1/4-1/2**  
**1631 ft.**

**PAINTERS TEXACO/U-HAUL TRUCK & T**  
**436 ROSWELL ST**  
**MARIETTA, GA 30060**

**LUST**  
**UST**

**1006788605**  
**N/A**

**Site 1 of 2 in cluster D**

**Relative:**  
**Higher**

**LUST:**  
Facility ID: 00330266  
Leak ID: 1  
Date Received: 4/20/1995  
Project Officer: Gu,Chifeng  
Description: Confirmed Release Received

**Actual:**  
**1160 ft.**

**UST:**  
Facility ID: 330266  
Total Tanks: 5  
Tank ID: 1  
Material: Steel  
Capacity: 1000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: JACK PAINTER/U-HAUL TRUCK & TRL  
Owner ID: 2214  
436 ROSWELL ST  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9931  
Product: Gas  
Status: Installed  
Status Date: 04/16/78  
Pipe Type : Not Marked  
Pipe Material: Unknown

Facility ID: 330266  
Total Tanks: 5  
Tank ID: 1  
Material: Steel  
Capacity: 1000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: JACK PAINTER/U-HAUL TRUCK & TRL  
Owner ID: 2214  
436 ROSWELL ST  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9931  
Product: Gas  
Status: Currently In Use  
Status Date: Not reported



Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

PAINTERS TEXACO/U-HAUL TRUCK & T (Continued)

EDR ID Number  
EPA ID Number

Database(s)

1006788605

Pipe Type : Not Marked  
Pipe Material: Unknown

Facility ID: 330266  
Total Tanks: 5  
Tank ID: 1  
Material: Steel  
Capacity: 1000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: JACK PAINTER/U-HAUL TRUCK & TRL  
Owner ID: 2214  
436 ROSWELL ST  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-9931  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Unknown

Facility ID: 330266  
Total Tanks: 5  
Tank ID: 2  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: JACK PAINTER/U-HAUL TRUCK & TRL  
Owner ID: 2214  
436 ROSWELL ST  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-9931  
Product: Gas  
Status: Installed  
Status Date: 04/19/66  
Pipe Type : Pressure  
Pipe Material: Bare Steel

Facility ID: 330266  
Total Tanks: 5  
Tank ID: 2  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: JACK PAINTER/U-HAUL TRUCK & TRL  
Owner ID: 2214  
436 ROSWELL ST

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**PAINTERS TEXACO/U-HAUL TRUCK & T (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**1006788605**

Owner County: MARIETTA, GA 30060  
Owner Phone: Not reported  
Product: (770) 428-9931  
Status: Gas  
Status Date: Removed From Ground  
Pipe Type : 01/17/95  
Pipe Material: Pressure  
Bare Steel

Facility ID: 330266  
Total Tanks: 5  
Tank ID: 2  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: JACK PAINTER/U-HAUL TRUCK & TRL  
Owner ID: 2214

436 ROSWELL ST  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone: (770) 428-9931  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Bare Steel

Facility ID: 330266  
Total Tanks: 5  
Tank ID: 3  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: JACK PAINTER/U-HAUL TRUCK & TRL  
Owner ID: 2214

436 ROSWELL ST  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone: (770) 428-9931  
Product: Gas  
Status: Installed  
Status Date: 04/19/66  
Pipe Type : Pressure  
Pipe Material: Bare Steel

Facility ID: 330266  
Total Tanks: 5  
Tank ID: 3  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation    Site

MAP FINDINGS

Database(s)    EDR ID Number  
EPA ID Number

**PAINTERS TEXACO/U-HAUL TRUCK & T (Continued)**

**1006788605**

Spill Date :            / /  
Overfill Installed :    / /  
Tank Exempt From Spill : Not reported  
Owner:                JACK PAINTER/U-HAUL TRUCK & TRL  
Owner ID:             2214  
                          436 ROSWELL ST  
                          MARIETTA, GA 30060  
Owner County:        Not reported  
Owner Phone         (770) 428-9931  
Product:              Gas  
Status:                Removed From Ground  
Status Date:         01/17/95  
Pipe Type :            Pressure  
Pipe Material:        Bare Steel

Facility ID:           330266  
Total Tanks:          5  
Tank ID:               3  
Material:              Steel  
Capacity:              6000.00  
Overfill Protection:  
Spill Date :            / /  
Overfill Installed :    / /  
Tank Exempt From Spill : Not reported  
Owner:                JACK PAINTER/U-HAUL TRUCK & TRL  
Owner ID:             2214  
                          436 ROSWELL ST  
                          MARIETTA, GA 30060  
Owner County:        Not reported  
Owner Phone         (770) 428-9931  
Product:              Gas  
Status:                Upgrade Repair Not Marked  
Status Date:         Not reported  
Pipe Type :            Pressure  
Pipe Material:        Bare Steel

Facility ID:           330266  
Total Tanks:          5  
Tank ID:               4  
Material:              Steel  
Capacity:              6000.00  
Overfill Protection:  
Spill Date :            / /  
Overfill Installed :    / /  
Tank Exempt From Spill : Not reported  
Owner:                JACK PAINTER/U-HAUL TRUCK & TRL  
Owner ID:             2214  
                          436 ROSWELL ST  
                          MARIETTA, GA 30060  
Owner County:        Not reported  
Owner Phone         (770) 428-9931  
Product:              Gas  
Status:                Installed  
Status Date:         04/19/66  
Pipe Type :            Pressure  
Pipe Material:        Bare Steel

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

PAINTERS TEXACO/U-HAUL TRUCK & T (Continued)

EDR ID Number  
EPA ID Number

Database(s)

1006788605

Facility ID: 330266  
Total Tanks: 5  
Tank ID: 4  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: JACK PAINTER/U-HAUL TRUCK & TRL  
Owner ID: 2214  
436 ROSWELL ST  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9931  
Product: Gas  
Status: Removed From Ground  
Status Date: 01/17/95  
Pipe Type : Pressure  
Pipe Material: Bare Steel

Facility ID: 330266  
Total Tanks: 5  
Tank ID: 4  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: JACK PAINTER/U-HAUL TRUCK & TRL  
Owner ID: 2214  
436 ROSWELL ST  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9931  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Bare Steel

Facility ID: 330266  
Total Tanks: 5  
Tank ID: 5  
Material: Steel  
Capacity: 500.00  
Overfill Protection: Yes  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Yes  
Owner: JACK PAINTER/U-HAUL TRUCK & TRL  
Owner ID: 2214  
436 ROSWELL ST  
MARIETTA, GA 30060  
Owner County: Not reported

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**PAINTERS TEXACO/U-HAUL TRUCK & T (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**1006788605**

Owner Phone (770) 428-9931  
Product: Used Oil  
Status: Installed  
Status Date: 04/19/66  
Pipe Type : Pressure  
Pipe Material: Bare Steel

Facility ID: 330266  
Total Tanks: 5  
Tank ID: 5  
Material: Steel  
Capacity: 500.00  
Overfill Protection: Yes  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Yes  
Owner: JACK PAINTER/U-HAUL TRUCK & TRL  
Owner ID: 2214

436 ROSWELL ST  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-9931  
Product: Used Oil  
Status: Removed From Ground  
Status Date: 01/17/95  
Pipe Type : Pressure  
Pipe Material: Bare Steel

Facility ID: 330266  
Total Tanks: 5  
Tank ID: 5  
Material: Steel  
Capacity: 500.00  
Overfill Protection: Yes  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Yes  
Owner: JACK PAINTER/U-HAUL TRUCK & TRL  
Owner ID: 2214

436 ROSWELL ST  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-9931  
Product: Used Oil  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Bare Steel

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**D12**  
**North**  
**1/4-1/2**  
**1652 ft.**

**HARMON GLASS PROPERTY**  
**456 ROSWELL ST**  
**MARIETTA, GA 30060**

**UST** **U001490684**  
**N/A**

**Site 2 of 2 in cluster D**

**Relative:**  
**Higher**

UST:

**Actual:**  
**1151 ft.**

Facility ID: 9033273  
Total Tanks: 2  
Tank ID: 1  
Material: Steel  
Capacity: 5000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: TRUST CO BANK  
Owner ID: 1862  
PO BOX 4655  
ATLANTA, GA 30302  
Owner County: Not reported  
Owner Phone (404) 827-6825  
Product: Gas  
Status: Installed  
Status Date: / /  
Pipe Type : Suction: Valve At The Tank  
Pipe Material: Bare Steel

Facility ID: 9033273  
Total Tanks: 2  
Tank ID: 1  
Material: Steel  
Capacity: 5000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: TRUST CO BANK  
Owner ID: 1862  
PO BOX 4655  
ATLANTA, GA 30302  
Owner County: Not reported  
Owner Phone (404) 827-6825  
Product: Gas  
Status: Removed From Ground  
Status Date: 08/03/93  
Pipe Type : Suction: Valve At The Tank  
Pipe Material: Bare Steel

Facility ID: 9033273  
Total Tanks: 2  
Tank ID: 1  
Material: Steel  
Capacity: 5000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: TRUST CO BANK

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**HARMON GLASS PROPERTY (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U001490684**

Owner ID: 1862  
PO BOX 4655  
ATLANTA, GA 30302  
Owner County: Not reported  
Owner Phone (404) 827-6825  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: / /  
Pipe Type : Suction: Valve At The Tank  
Pipe Material: Bare Steel

Facility ID: 9033273  
Total Tanks: 2  
Tank ID: 2  
Material: Steel  
Capacity: 5000.00

Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: TRUST CO BANK  
Owner ID: 1862

PO BOX 4655  
ATLANTA, GA 30302

Owner County: Not reported  
Owner Phone (404) 827-6825  
Product: Gas  
Status: Installed  
Status Date: / /  
Pipe Type : Suction: Valve At The Tank  
Pipe Material: Bare Steel

Facility ID: 9033273  
Total Tanks: 2  
Tank ID: 2  
Material: Steel  
Capacity: 5000.00

Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: TRUST CO BANK  
Owner ID: 1862

PO BOX 4655  
ATLANTA, GA 30302

Owner County: Not reported  
Owner Phone (404) 827-6825  
Product: Gas  
Status: Removed From Ground  
Status Date: 08/03/93  
Pipe Type : Suction: Valve At The Tank  
Pipe Material: Bare Steel

Facility ID: 9033273  
Total Tanks: 2  
Tank ID: 2  
Material: Steel

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**HARMON GLASS PROPERTY (Continued)**

EDR ID Number  
EPA ID Number

**U001490684**

Capacity: 5000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: TRUST CO BANK  
Owner ID: 1862  
PO BOX 4655  
ATLANTA, GA 30302  
Owner County: Not reported  
Owner Phone (404) 827-6825  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: / /  
Pipe Type : Suction: Valve At The Tank  
Pipe Material: Bare Steel

**13**  
**NNW**  
**1/4-1/2**  
**1693 ft.**

**MAINT & WAREHOUSE FUELING STATIO**  
**358 ROSWELL RD**  
**MARIETTA, GA 30060**

**UST** **U001920233**  
**N/A**

**Relative:**  
**Higher**

**Actual:**  
**1161 ft.**

UST:  
Facility ID: 9033308  
Total Tanks: 2  
Tank ID: 1  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: COBB CO PUBLIC SCHOOLS  
Owner ID: 1918  
440 GLOVER ST  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 426-3300  
Product: Gas  
Status: Installed  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel  
  
Facility ID: 9033308  
Total Tanks: 2  
Tank ID: 1  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: COBB CO PUBLIC SCHOOLS  
Owner ID: 1918  
440 GLOVER ST  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 426-3300



Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

MAINT & WAREHOUSE FUELING STATIO (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001920233

Product: Gas  
Status: Removed From Ground  
Status Date: 12/18/91  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 9033308  
Total Tanks: 2  
Tank ID: 1  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: COBB CO PUBLIC SCHOOLS  
Owner ID: 1918

440 GLOVER ST  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 426-3300  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 9033308  
Total Tanks: 2  
Tank ID: 2  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: COBB CO PUBLIC SCHOOLS  
Owner ID: 1918

440 GLOVER ST  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 426-3300  
Product: Gas  
Status: Installed  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 9033308  
Total Tanks: 2  
Tank ID: 2  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

MAINT & WAREHOUSE FUELING STATIO (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001920233

Owner: COBB CO PUBLIC SCHOOLS  
Owner ID: 1918  
440 GLOVER ST  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 426-3300  
Product: Gas  
Status: Removed From Ground  
Status Date: 12/18/91  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 9033308  
Total Tanks: 2  
Tank ID: 2  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: COBB CO PUBLIC SCHOOLS  
Owner ID: 1918  
440 GLOVER ST  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 426-3300  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

E14 CHEVRON #43048 (FORMER)  
ESE 603 SOUTH MARIETTA PKWY  
1/4-1/2 MARIETTA, GA 30060  
1750 ft.

LUST U001490655  
UST N/A

Site 1 of 2 in cluster E

Relative:  
Lower

LUST:  
Facility ID: 09033240  
Leak ID: 1  
Date Received: 10/22/1992  
Project Officer: Vinson-Brittman, Anita  
Description: Confirmed Release Received

Actual:  
1077 ft.

UST:  
Facility ID: 9033240  
Total Tanks: 1  
Tank ID: 1  
Material: Marked Unknown  
Capacity: 550.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: CHEVRON PRODUCTS CO  
Owner ID: 200  
PO BOX 1706

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**CHEVRON #43048 (FORMER) (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U001490655**

ATLANTA, GA 30301  
Owner County: Not reported  
Owner Phone 770-984-4186  
Product: Used Oil  
Status: Installed  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Unknown  
  
Facility ID: 9033240  
Total Tanks: 1  
Tank ID: 1  
Material: Marked Unknown  
Capacity: 550.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: CHEVRON PRODUCTS CO  
Owner ID: 200  
PO BOX 1706  
ATLANTA, GA 30301  
Owner County: Not reported  
Owner Phone 770-984-4186  
Product: Used Oil  
Status: Removed From Ground  
Status Date: 08/10/92  
Pipe Type : Not Marked  
Pipe Material: Unknown  
  
Facility ID: 9033240  
Total Tanks: 1  
Tank ID: 1  
Material: Marked Unknown  
Capacity: 550.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: CHEVRON PRODUCTS CO  
Owner ID: 200  
PO BOX 1706  
ATLANTA, GA 30301  
Owner County: Not reported  
Owner Phone 770-984-4186  
Product: Used Oil  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Unknown

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**F15**  
**NNE**  
**1/4-1/2**  
**1774 ft.**

**GETZ EXTERMINATORS OF GA INC**  
**507 ROSWELL ST**  
**MARIETTA, GA 30060**

**UST** **1006788822**  
**N/A**

**Relative:**  
**Higher**

**Site 1 of 5 in cluster F**

**Actual:**  
**1130 ft.**

UST:

Facility ID: 330131  
Total Tanks: 1  
Tank ID: 1  
Material: Marked Unknown  
Capacity: 2000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SCOTT ROGERS  
Owner ID: 2025  
603 WALTON GREEN WAY  
KENNESAW, GA 30144  
Owner County: Not reported  
Owner Phone (770) 883-3955  
Product: Gas  
Status: Installed  
Status Date: 05/05/71  
Pipe Type : Not Marked  
Pipe Material: Unknown

Facility ID: 330131  
Total Tanks: 1  
Tank ID: 1  
Material: Marked Unknown  
Capacity: 2000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SCOTT ROGERS  
Owner ID: 2025  
603 WALTON GREEN WAY  
KENNESAW, GA 30144  
Owner County: Not reported  
Owner Phone (770) 883-3955  
Product: Gas  
Status: Closed In Ground  
Status Date: 01/24/01  
Pipe Type : Not Marked  
Pipe Material: Unknown

Facility ID: 330131  
Total Tanks: 1  
Tank ID: 1  
Material: Marked Unknown  
Capacity: 2000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SCOTT ROGERS

Database(s) EDR ID Number  
EPA ID Number

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

GETZ EXTERMINATORS OF GA INC (Continued)

EDR ID Number  
EPA ID Number

Database(s)

1006788822

Owner ID: 2025  
603 WALTON GREEN WAY  
KENNESAW, GA 30144  
Owner County: Not reported  
Owner Phone (770) 883-3955  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Unknown

F16  
NNE  
1/4-1/2  
1789 ft.

ROCK ST CARD STATION  
24 ROCK ST  
MARIETTA, GA 30062

UST U001475594  
N/A

Site 2 of 5 in cluster F

Relative:  
Higher

Actual:  
1132 ft.

UST:  
Facility ID: 330272  
Total Tanks: 2  
Tank ID: 1  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: BOWLES OIL CO  
Owner ID: 2215  
3322 ROSWELL ROAD  
MARIETTA, GA 30062  
Owner County: Not reported  
Owner Phone 770-971-3623  
Product: Gas  
Status: Installed  
Status Date: 04/24/73  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel  
  
Facility ID: 330272  
Total Tanks: 2  
Tank ID: 1  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: BOWLES OIL CO  
Owner ID: 2215  
3322 ROSWELL ROAD  
MARIETTA, GA 30062  
Owner County: Not reported  
Owner Phone 770-971-3623  
Product: Gas  
Status: Removed From Ground  
Status Date: 08/27/87  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

ROCK ST CARD STATION (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001475594

Facility ID: 330272  
Total Tanks: 2  
Tank ID: 1  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: BOWLES OIL CO  
Owner ID: 2215  
3322 ROSWELL ROAD  
MARIETTA, GA 30062  
Owner County: Not reported  
Owner Phone 770-971-3623  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330272  
Total Tanks: 2  
Tank ID: 2  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: BOWLES OIL CO  
Owner ID: 2215  
3322 ROSWELL ROAD  
MARIETTA, GA 30062  
Owner County: Not reported  
Owner Phone 770-971-3623  
Product: Gas  
Status: Installed  
Status Date: 04/24/73  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330272  
Total Tanks: 2  
Tank ID: 2  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: BOWLES OIL CO  
Owner ID: 2215  
3322 ROSWELL ROAD  
MARIETTA, GA 30062  
Owner County: Not reported

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

ROCK ST CARD STATION (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001475594

Owner Phone 770-971-3623  
Product: Gas  
Status: Removed From Ground  
Status Date: 08/27/87  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel  
  
Facility ID: 330272  
Total Tanks: 2  
Tank ID: 2  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: BOWLES OIL CO  
Owner ID: 2215  
3322 ROSWELL ROAD  
MARIETTA, GA 30062  
  
Owner County: Not reported  
Owner Phone 770-971-3623  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

F17  
NNE  
1/4-1/2  
1811 ft.

BOWLES OIL CO  
31 ROCK ST  
MARIETTA, GA 30060

LUST U003763288  
UST N/A

Site 3 of 5 in cluster F

Relative:  
Higher

LUST:  
Facility ID: 09033601  
Leak ID: 1  
Date Received: 1/31/2001  
Project Officer: Wallace, Ronald J  
Description: Confirmed Release Received

Actual:  
1132 ft.

UST:  
Facility ID: 9033601  
Total Tanks: 2  
Tank ID: 1  
Material: Marked Unknown  
Capacity: 0.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: BOWLES  
Owner ID: 2393  
1840 ALLGOOD RD  
MARIETTA, GA 30062  
  
Owner County: Not reported  
Owner Phone Not reported  
Product: Gas  
Status: Installed

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BOWLES OIL CO (Continued)**

**U003763288**

Status Date: / /  
Pipe Type : Suction: No Valve At The Tank  
Pipe Material: Unknown

Facility ID: 9033601  
Total Tanks: 2  
Tank ID: 1  
Material: Marked Unknown  
Capacity: 0.00

Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: BOWLES  
Owner ID: 2393

1840 ALLGOOD RD  
MARIETTA, GA 30062

Owner County: Not reported  
Owner Phone Not reported

Product: Gas  
Status: Removed From Ground  
Status Date: 01/01/85  
Pipe Type : Suction: No Valve At The Tank  
Pipe Material: Unknown

Facility ID: 9033601  
Total Tanks: 2  
Tank ID: 1  
Material: Marked Unknown  
Capacity: 0.00

Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: BOWLES  
Owner ID: 2393

1840 ALLGOOD RD  
MARIETTA, GA 30062

Owner County: Not reported  
Owner Phone Not reported

Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: / /  
Pipe Type : Suction: No Valve At The Tank  
Pipe Material: Unknown

Facility ID: 9033601  
Total Tanks: 2  
Tank ID: 2  
Material: Marked Unknown  
Capacity: 0.00

Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: BOWLES  
Owner ID: 2393



Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BOWLES OIL CO (Continued)**

**U003763288**

1840 ALLGOOD RD  
MARIETTA, GA 30062  
Owner County: Not reported  
Owner Phone Not reported  
Product: Gas  
Status: Installed  
Status Date: / /  
Pipe Type : Suction: No Valve At The Tank  
Pipe Material: Unknown

Facility ID: 9033601  
Total Tanks: 2  
Tank ID: 2  
Material: Marked Unknown  
Capacity: 0.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: BOWLES  
Owner ID: 2393

1840 ALLGOOD RD  
MARIETTA, GA 30062  
Owner County: Not reported  
Owner Phone Not reported  
Product: Gas  
Status: Removed From Ground  
Status Date: 01/01/85  
Pipe Type : Suction: No Valve At The Tank  
Pipe Material: Unknown

Facility ID: 9033601  
Total Tanks: 2  
Tank ID: 2  
Material: Marked Unknown  
Capacity: 0.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: BOWLES  
Owner ID: 2393

1840 ALLGOOD RD  
MARIETTA, GA 30062  
Owner County: Not reported  
Owner Phone Not reported  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: / /  
Pipe Type : Suction: No Valve At The Tank  
Pipe Material: Unknown

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

	Site	Database(s)	EDR ID Number EPA ID Number
<b>F18</b> <b>NNE</b> <b>1/4-1/2</b> <b>1814 ft.</b>	<b>LIFE INSURANCE CO. OF GA.</b> <b>515 ROSWELL ST.</b> <b>SMYRNA, GA 30060</b>  <b>Site 4 of 5 in cluster F</b>  <b>Relative:</b> <b>Equal</b>  <b>Actual:</b> <b>1127 ft.</b>	<b>GA NON-HSI</b>	<b>S104819264</b> <b>N/A</b>
	Non-HSI: Latitude/Longitude: Not reported Ground Water Pathway Score: 2 On-Site Pathway Score: 0 Report Date: tetrachloroethe Contaminants: Not reported		
<b>G19</b> <b>NNW</b> <b>1/4-1/2</b> <b>1845 ft.</b>	<b>Y-ONE GROCERY &amp; GAS STATION/FORM</b> <b>326 ROSWELL ST</b> <b>MARIETTA, GA 30060</b>  <b>Site 1 of 2 in cluster G</b>  <b>Relative:</b> <b>Higher</b>  <b>Actual:</b> <b>1157 ft.</b>	<b>UST</b>	<b>U003001945</b> <b>N/A</b>
	UST: Facility ID: 330123 Total Tanks: 6 Tank ID: 1 Material: Steel Capacity: 6000.00 Overfill Protection: Spill Date : / / Overfill Installed : / / Tank Exempt From Spill : Not reported Owner: DANNY YUN Owner ID: 2016 326 ROSWELL STREET MARIETTA, GA 30060  Owner County: Not reported Owner Phone (770) 425-2344 Product: Gas Status: Installed Status Date: 04/01/61 Pipe Type : Pressure Pipe Material: Fiberglass Reinforced Plastic  Facility ID: 330123 Total Tanks: 6 Tank ID: 1 Material: Steel Capacity: 6000.00 Overfill Protection: Spill Date : / / Overfill Installed : / / Tank Exempt From Spill : Not reported Owner: DANNY YUN Owner ID: 2016 326 ROSWELL STREET MARIETTA, GA 30060  Owner County: Not reported Owner Phone (770) 425-2344 Product: Gas Status: Removed From Ground Status Date: 01/20/95 Pipe Type : Pressure Pipe Material: Fiberglass Reinforced Plastic		

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Y-ONE GROCERY & GAS STATION/FORM (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U003001945

Facility ID: 330123  
Total Tanks: 6  
Tank ID: 1  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: DANNY YUN  
Owner ID: 2016  
326 ROSWELL STREET  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 425-2344  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330123  
Total Tanks: 6  
Tank ID: 2  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: DANNY YUN  
Owner ID: 2016  
326 ROSWELL STREET  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 425-2344  
Product: Gas  
Status: Installed  
Status Date: 04/01/61  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330123  
Total Tanks: 6  
Tank ID: 2  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: DANNY YUN  
Owner ID: 2016  
326 ROSWELL STREET  
MARIETTA, GA 30060  
Owner County: Not reported

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation    Site

MAP FINDINGS

Database(s)  
 EDR ID Number  
 EPA ID Number

**Y-ONE GROCERY & GAS STATION/FORM (Continued)**

**U003001945**

Owner Phone            (770) 425-2344  
 Product:                Gas  
 Status:                 Removed From Ground  
 Status Date:           01/20/95  
 Pipe Type :             Pressure  
 Pipe Material:         Fiberglass Reinforced Plastic

Facility ID:            330123  
 Total Tanks:           6  
 Tank ID:                2  
 Material:               Steel  
 Capacity:               6000.00

Overfill Protection:  
 Spill Date :            / /  
 Overfill Installed :   / /  
 Tank Exempt From Spill : Not reported  
 Owner:                 DANNY YUN  
 Owner ID:              2016  
                              326 ROSWELL STREET  
                              MARIETTA, GA 30060

Owner County:         Not reported  
 Owner Phone           (770) 425-2344  
 Product:                Gas  
 Status:                 Upgrade Repair Not Marked  
 Status Date:           Not reported  
 Pipe Type :             Pressure  
 Pipe Material:         Fiberglass Reinforced Plastic

Facility ID:            330123  
 Total Tanks:           6  
 Tank ID:                3  
 Material:               Steel  
 Capacity:               1000.00  
 Overfill Protection:  
 Spill Date :            / /  
 Overfill Installed :   / /  
 Tank Exempt From Spill : Not reported  
 Owner:                 DANNY YUN  
 Owner ID:              2016  
                              326 ROSWELL STREET  
                              MARIETTA, GA 30060

Owner County:         Not reported  
 Owner Phone           (770) 425-2344  
 Product:                Gas  
 Status:                 Installed  
 Status Date:           05/01/61  
 Pipe Type :             Pressure  
 Pipe Material:         Fiberglass Reinforced Plastic

Facility ID:            330123  
 Total Tanks:           6  
 Tank ID:                3  
 Material:               Steel  
 Capacity:               1000.00  
 Overfill Protection:  
 Spill Date :            / /  
 Overfill Installed :   / /

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**Y-ONE GROCERY & GAS STATION/FORM (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003001945**

Tank Exempt From Spill : Not reported  
Owner: DANNY YUN  
Owner ID: 2016  
326 ROSWELL STREET  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 425-2344  
Product: Gas  
Status: Removed From Ground  
Status Date: 01/20/95  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330123  
Total Tanks: 6  
Tank ID: 3  
Material: Steel  
Capacity: 1000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: DANNY YUN  
Owner ID: 2016  
326 ROSWELL STREET  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 425-2344  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330123  
Total Tanks: 6  
Tank ID: 4  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 02/01/95  
Overfill Installed : 02/01/95  
Tank Exempt From Spill : Not reported  
Owner: DANNY YUN  
Owner ID: 2016  
326 ROSWELL STREET  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 425-2344  
Product: Gas  
Status: Installed  
Status Date: 02/10/95  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330123  
Total Tanks: 6

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation    Site

MAP FINDINGS

Database(s)  
EDR ID Number  
EPA ID Number

**Y-ONE GROCERY & GAS STATION/FORM (Continued)**

**U003001945**

Tank ID: 4  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 02/01/95  
Overfill Installed : 02/01/95  
Tank Exempt From Spill : Not reported  
Owner: DANNY YUN  
Owner ID: 2016  
326 ROSWELL STREET  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 425-2344  
Product: Gas  
Status: Currently In Use  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330123  
Total Tanks: 6  
Tank ID: 4  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 02/01/95  
Overfill Installed : 02/01/95  
Tank Exempt From Spill : Not reported  
Owner: DANNY YUN  
Owner ID: 2016  
326 ROSWELL STREET  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 425-2344  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330123  
Total Tanks: 6  
Tank ID: 5  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 02/10/95  
Overfill Installed : 02/10/95  
Tank Exempt From Spill : Not reported  
Owner: DANNY YUN  
Owner ID: 2016  
326 ROSWELL STREET  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 425-2344  
Product: Gas  
Status: Installed

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Y-ONE GROCERY & GAS STATION/FORM (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U003001945

Status Date: 02/10/95  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330123  
Total Tanks: 6  
Tank ID: 5  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 02/10/95  
Overfill Installed : 02/10/95  
Tank Exempt From Spill : Not reported  
Owner: DANNY YUN  
Owner ID: 2016

326 ROSWELL STREET  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 425-2344  
Product: Gas  
Status: Currently In Use  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330123  
Total Tanks: 6  
Tank ID: 5  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 02/10/95  
Overfill Installed : 02/10/95  
Tank Exempt From Spill : Not reported  
Owner: DANNY YUN  
Owner ID: 2016

326 ROSWELL STREET  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 425-2344  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330123  
Total Tanks: 6  
Tank ID: 6  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 02/10/95  
Overfill Installed : 02/10/95  
Tank Exempt From Spill : Not reported  
Owner: DANNY YUN  
Owner ID: 2016

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Y-ONE GROCERY & GAS STATION/FORM (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U003001945

326 ROSWELL STREET  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 425-2344  
Product: Gas  
Status: Installed  
Status Date: 02/10/95  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330123  
Total Tanks: 6  
Tank ID: 6  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 02/10/95  
Overfill Installed : 02/10/95  
Tank Exempt From Spill : Not reported  
Owner: DANNY YUN  
Owner ID: 2016

326 ROSWELL STREET  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 425-2344  
Product: Gas  
Status: Currently In Use  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330123  
Total Tanks: 6  
Tank ID: 6  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 02/10/95  
Overfill Installed : 02/10/95  
Tank Exempt From Spill : Not reported  
Owner: DANNY YUN  
Owner ID: 2016

326 ROSWELL STREET  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 425-2344  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic



Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

	Site	Database(s)	EDR ID Number EPA ID Number
<b>G20</b> <b>NNW</b> <b>1/4-1/2</b> <b>1845 ft.</b>	<b>Y-ONE GROCERY &amp; GAS STATION/FORM</b> <b>326 ROSWELL ST</b> <b>MARIETTA, GA 30060</b>  <b>Site 2 of 2 in cluster G</b>	<b>FINDS</b> <b>LUST</b>	<b>1006781568</b> <b>110013509337</b>
<b>Relative:</b> <b>Higher</b>	<b>FINDS:</b> Other Pertinent Environmental Activity Identified at Site: Georgia Environmental Information Management System		
<b>Actual:</b> <b>1157 ft.</b>	<b>LUST:</b> Facility ID: 00330123 Leak ID: 1 Date Received: 2/9/1995 Project Officer: Li, Yonghong June Description: Confirmed Release Received		
<b>F21</b> <b>NNE</b> <b>1/4-1/2</b> <b>1850 ft.</b>	<b>IMPORTS MAINTENANCE CENTER INC</b> <b>522 ROSWELL ST</b> <b>MARIETTA, GA 30060</b>  <b>Site 5 of 5 in cluster F</b>	<b>RCRA-SQG</b> <b>FINDS</b>	<b>1004685994</b> <b>GA0000019828</b>
<b>Relative:</b> <b>Lower</b>	<b>RCRAInfo:</b> Owner: MORTEZA JAHROMI (404) 426-4852 EPA ID: GA0000019828 Contact: MORTEZA JAHROMI (404) 426-4852  Classification: Small Quantity Generator TSDF Activities: Not reported  Violation Status: No violations found		
<b>Actual:</b> <b>1124 ft.</b>	<b>FINDS:</b> Other Pertinent Environmental Activity Identified at Site: Resource Conservation and Recovery Act Information system		
<b>E22</b> <b>ESE</b> <b>1/4-1/2</b> <b>1907 ft.</b>	<b>SMITH BROTHERS SERVICE STATION</b> <b>591 S MARIETTA PKWY</b> <b>MARIETTA, GA 30060</b>  <b>Site 2 of 2 in cluster E</b>	<b>UST</b>	<b>U003157613</b> <b>N/A</b>
<b>Relative:</b> <b>Lower</b>	<b>UST:</b> Facility ID: 330173 Total Tanks: 11 Tank ID: 10 Material: Fiberglass Capacity: 10000.00 Overfill Protection: Spill Date : 06/04/93 Overfill Installed : 06/04/93 Tank Exempt From Spill : Not reported Owner: SMITH BROTHERS SERVICE STATION Owner ID: 2059 591 S MARIETTA PKWY MARIETTA, GA 30060  Owner County: Not reported Owner Phone (770) 428-9316		
<b>Actual:</b> <b>1070 ft.</b>			

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**SMITH BROTHERS SERVICE STATION (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003157613**

Product: Diesel  
Status: Installed  
Status Date: 01/01/87  
Pipe Type : Not Marked  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 10  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 06/04/93  
Overfill Installed : 06/04/93  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059  
591 S MARIETTA PKWY  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Diesel  
Status: Currently In Use  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 10  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 06/04/93  
Overfill Installed : 06/04/93  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059  
591 S MARIETTA PKWY  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Diesel  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 11  
Material: Fiberglass  
Capacity: 1000.00  
Overfill Protection: Yes  
Spill Date : 06/04/93  
Overfill Installed : / /  
Tank Exempt From Spill : Yes

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**SMITH BROTHERS SERVICE STATION (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003157613**

Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059  
591 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Used Oil  
Status: Installed  
Status Date: 01/01/87  
Pipe Type : Not Marked  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 11  
Material: Fiberglass  
Capacity: 1000.00  
Overfill Protection: Yes  
Spill Date : 06/04/93  
Overfill Installed : / /  
Tank Exempt From Spill : Yes  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059

591 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Used Oil  
Status: Currently In Use  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 11  
Material: Fiberglass  
Capacity: 1000.00  
Overfill Protection: Yes  
Spill Date : 06/04/93  
Overfill Installed : / /  
Tank Exempt From Spill : Yes  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059

591 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Used Oil  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 1

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**SMITH BROTHERS SERVICE STATION (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003157613**

Material: Steel  
Capacity: 550.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059

591 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Used Oil  
Status: Installed  
Status Date: 05/07/65  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 1  
Material: Steel  
Capacity: 550.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059

591 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Used Oil  
Status: Removed From Ground Date Unknown  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 1  
Material: Steel  
Capacity: 550.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059

591 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Used Oil  
Status: Upgrade Repair Not Marked  
Status Date: / /

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**SMITH BROTHERS SERVICE STATION (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003157613**

Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 2  
Material: Steel  
Capacity: 6000.00

Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059

591 S MARIETTA PKWY  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Diesel  
Status: Installed  
Status Date: 05/03/80  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 2  
Material: Steel  
Capacity: 6000.00

Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059

591 S MARIETTA PKWY  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Diesel  
Status: Removed From Ground Date Unknown  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 2  
Material: Steel  
Capacity: 6000.00

Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059

591 S MARIETTA PKWY

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**SMITH BROTHERS SERVICE STATION (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003157613**

Owner County: MARIETTA, GA 30060  
Owner Phone: Not reported  
Product: (770) 428-9316  
Status: Diesel  
Status Date: Upgrade Repair Not Marked  
Pipe Type : /  
Pipe Material: /

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 3  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059

591 S MARIETTA PKWY  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone: (770) 428-9316  
Product: Gas  
Status: Installed  
Status Date: 05/07/65  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 3  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059

591 S MARIETTA PKWY  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone: (770) 428-9316  
Product: Gas  
Status: Removed From Ground Date Unknown  
Status Date: /  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 3  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation    Site

MAP FINDINGS

Database(s)    EDR ID Number  
EPA ID Number

**SMITH BROTHERS SERVICE STATION (Continued)**

**U003157613**

Spill Date :                      Not reported  
Overfill Installed :            Not reported  
Tank Exempt From Spill :      Not reported  
Owner:                          SMITH BROTHERS SERVICE STATION  
Owner ID:                        2059  
                                      591 S MARIETTA PKWY  
                                      MARIETTA, GA 30060  
  
Owner County:                  Not reported  
Owner Phone                    (770) 428-9316  
Product:                        Gas  
Status:                          Upgrade Repair Not Marked  
Status Date:                    / /  
Pipe Type :                      Not Marked  
Pipe Material:                  Galvanized Steel

Facility ID:                    330173  
Total Tanks:                    11  
Tank ID:                        4  
Material:                        Steel  
Capacity:                        6000.00  
Overfill Protection:  
Spill Date :                      Not reported  
Overfill Installed :            Not reported  
Tank Exempt From Spill :      Not reported  
Owner:                          SMITH BROTHERS SERVICE STATION  
Owner ID:                        2059  
                                      591 S MARIETTA PKWY  
                                      MARIETTA, GA 30060  
  
Owner County:                  Not reported  
Owner Phone                    (770) 428-9316  
Product:                        Gas  
Status:                          Installed  
Status Date:                    05/07/65  
Pipe Type :                      Not Marked  
Pipe Material:                  Galvanized Steel

Facility ID:                    330173  
Total Tanks:                    11  
Tank ID:                        4  
Material:                        Steel  
Capacity:                        6000.00  
Overfill Protection:  
Spill Date :                      Not reported  
Overfill Installed :            Not reported  
Tank Exempt From Spill :      Not reported  
Owner:                          SMITH BROTHERS SERVICE STATION  
Owner ID:                        2059  
                                      591 S MARIETTA PKWY  
                                      MARIETTA, GA 30060  
  
Owner County:                  Not reported  
Owner Phone                    (770) 428-9316  
Product:                        Gas  
Status:                          Permanently Out Of Use  
Status Date:                    / /  
Pipe Type :                      Not Marked  
Pipe Material:                  Galvanized Steel

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

SMITH BROTHERS SERVICE STATION (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U003157613

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 4  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059  
591 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 5  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059  
591 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Gas  
Status: Installed  
Status Date: 05/07/65  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 5  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059  
591 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported



Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**SMITH BROTHERS SERVICE STATION (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003157613**

Owner Phone (770) 428-9316  
Product: Gas  
Status: Permanently Out Of Use  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 5  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059

591 S MARIETTA PKWY  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 6  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059

591 S MARIETTA PKWY  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Gas  
Status: Installed  
Status Date: 05/05/73  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 6  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**SMITH BROTHERS SERVICE STATION (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003157613**

Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059  
591 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Gas  
Status: Permanently Out Of Use  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 6  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059  
591 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 7  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 06/04/93  
Overfill Installed : 06/04/93  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059  
591 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Gas  
Status: Installed  
Status Date: 01/01/87  
Pipe Type : Not Marked  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330173  
Total Tanks: 11

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**SMITH BROTHERS SERVICE STATION (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003157613**

Tank ID: 7  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 06/04/93  
Overfill Installed : 06/04/93  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059

591 S MARIETTA PKWY  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Gas  
Status: Currently In Use  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 7  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 06/04/93  
Overfill Installed : 06/04/93  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059

591 S MARIETTA PKWY  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 8  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 06/04/93  
Overfill Installed : 06/04/93  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059

591 S MARIETTA PKWY  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Gas  
Status: Installed

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**SMITH BROTHERS SERVICE STATION (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003157613**

Status Date: 01/01/87  
Pipe Type : Not Marked  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 8  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 06/04/93  
Overfill Installed : 06/04/93  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059  
591 S MARIETTA PKWY  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Gas  
Status: Currently In Use  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 8  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 06/04/93  
Overfill Installed : 06/04/93  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059  
591 S MARIETTA PKWY  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330173  
Total Tanks: 11  
Tank ID: 9  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 06/04/93  
Overfill Installed : 06/04/93  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**SMITH BROTHERS SERVICE STATION (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003157613**

591 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Gas  
Status: Installed  
Status Date: 01/01/87  
Pipe Type : Not Marked  
Pipe Material: Fiberglass Reinforced Plastic  
  
Facility ID: 330173  
Total Tanks: 11  
Tank ID: 9  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 06/04/93  
Overfill Installed : 06/04/93  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059  
591 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Gas  
Status: Currently In Use  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Fiberglass Reinforced Plastic  
  
Facility ID: 330173  
Total Tanks: 11  
Tank ID: 9  
Material: Fiberglass  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : 06/04/93  
Overfill Installed : 06/04/93  
Tank Exempt From Spill : Not reported  
Owner: SMITH BROTHERS SERVICE STATION  
Owner ID: 2059  
591 S MARIETTA PKWY  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-9316  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Fiberglass Reinforced Plastic

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**H23**  
**NE**  
**1/4-1/2**  
**1908 ft.**

**CHOICE CLEANERS**  
**595 ROSWELL ST**  
**MARIETTA, GA 30062**

**RCRA-SQG**  
**FINDS**

**1000978803**  
**GA0000931113**

**Site 1 of 2 in cluster H**

**Relative:**  
**Lower**

RCRAInfo:

Owner: PSM PARTNERSHIP  
(404) 426-5959

**Actual:**  
**1115 ft.**

EPA ID: GA0000931113

Contact: Not reported

Classification: Small Quantity Generator

TSDF Activities: Not reported

Violation Status: No violations found

**FINDS:**

Other Pertinent Environmental Activity Identified at Site:

Resource Conservation and Recovery Act Information system

**H24**  
**NE**  
**1/4-1/2**  
**2020 ft.**

**JETTS TEXACO/LITTLES TEXACO/AMOC**  
**556 ROSWELL ST**  
**MARIETTA, GA 30060**

**LUST**  
**UST**

**U001475672**  
**N/A**

**Site 2 of 2 in cluster H**

**Relative:**  
**Lower**

LUST:

Facility ID: 00330356  
Leak ID: 1  
Date Received: 1/21/1993  
Project Officer: Li,Yonghong June  
Description: Confirmed Release Received

Facility ID: 00330356  
Leak ID: 1  
Date Received: 11/2/1992  
Project Officer: Li,Yonghong June  
Description: Suspected Release Received

Facility ID: 00330356  
Leak ID: 2  
Date Received: 12/1/1994  
Project Officer: Li,Yonghong June  
Description: Suspected Release Received

Facility ID: 00330356  
Leak ID: 2  
Date Received: 12/3/1994  
Project Officer: Li,Yonghong June  
Description: Confirmed Release Received

Facility ID: 00330356  
Leak ID: 3  
Date Received: 2/1/1995  
Project Officer: Li,Yonghong June  
Description: Confirmed Release Received

UST:

Facility ID: 330356  
Total Tanks: 11

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

JETTS TEXACO/LITTLES TEXACO/AMOC (Continued)

U001475672

Tank ID: 8  
Material: Steel  
Capacity: 550.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Kerosene  
Status: Installed  
Status Date: 12/01/61  
Pipe Type : Gravity Fed  
Pipe Material: Bare Steel  
  
Facility ID: 330356  
Total Tanks: 11  
Tank ID: 8  
Material: Steel  
Capacity: 550.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Kerosene  
Status: Removed From Ground  
Status Date: 12/16/94  
Pipe Type : Gravity Fed  
Pipe Material: Bare Steel  
  
Facility ID: 330356  
Total Tanks: 11  
Tank ID: 8  
Material: Steel  
Capacity: 550.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Kerosene  
Status: Upgrade Repair Not Marked

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**JETTS TEXACO/LITTLES TEXACO/AMOC (Continued)**

**U001475672**

Status Date: Not reported  
Pipe Type : Gravity Fed  
Pipe Material: Bare Steel

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 9  
Material: Cathodically Protected Steel  
Capacity: 550.00  
Overfill Protection: Yes  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Yes  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165

Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Used Oil  
Status: Installed  
Status Date: 07/01/86  
Pipe Type : Gravity Fed  
Pipe Material: Not Marked

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 9  
Material: Cathodically Protected Steel  
Capacity: 550.00  
Overfill Protection: Yes  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Yes  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165

Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Used Oil  
Status: Currently In Use  
Status Date: Not reported  
Pipe Type : Gravity Fed  
Pipe Material: Not Marked

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 9  
Material: Cathodically Protected Steel  
Capacity: 550.00  
Overfill Protection: Yes  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Yes  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400



Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**JETTS TEXACO/LITTLES TEXACO/AMOC (Continued)**

**U001475672**

4786 OLD DALTON RD  
ROME, GA 30165  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Used Oil  
Status: Upgrade Repair Not Marked  
Status Date: 12/21/00  
Pipe Type : Gravity Fed  
Pipe Material: Not Marked  
  
Facility ID: 330356  
Total Tanks: 11  
Tank ID: 5  
Material: Cathodically Protected Steel  
Capacity: 8000.00  
Overfill Protection:  
Spill Date : 06/01/94  
Overfill Installed : 06/01/94  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Installed  
Status Date: 07/01/86  
Pipe Type : Pressure  
Pipe Material: Cathodically Protected  
  
Facility ID: 330356  
Total Tanks: 11  
Tank ID: 5  
Material: Cathodically Protected Steel  
Capacity: 8000.00  
Overfill Protection:  
Spill Date : 06/01/94  
Overfill Installed : 06/01/94  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Currently In Use  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Cathodically Protected  
  
Facility ID: 330356  
Total Tanks: 11  
Tank ID: 5  
Material: Cathodically Protected Steel  
Capacity: 8000.00

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation    Site

MAP FINDINGS

Database(s)  
EDR ID Number  
EPA ID Number

JETTS TEXACO/LITTLES TEXACO/AMOC (Continued)

U001475672

Overfill Protection:  
Spill Date : 06/01/94  
Overfill Installed : 06/01/94  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: 09/08/99  
Pipe Type : Pressure  
Pipe Material: Cathodically Protected  
  
Facility ID: 330356  
Total Tanks: 11  
Tank ID: 6  
Material: Cathodically Protected Steel  
Capacity: 8000.00  
Overfill Protection:  
Spill Date : 06/01/94  
Overfill Installed : 06/01/94  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Installed  
Status Date: 07/01/86  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic  
  
Facility ID: 330356  
Total Tanks: 11  
Tank ID: 6  
Material: Cathodically Protected Steel  
Capacity: 8000.00  
Overfill Protection:  
Spill Date : 06/01/94  
Overfill Installed : 06/01/94  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Currently In Use  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

JETTS TEXACO/LITTLES TEXACO/AMOC (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001475672

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 6  
Material: Cathodically Protected Steel  
Capacity: 8000.00  
Overfill Protection:  
Spill Date : 06/01/94  
Overfill Installed : 06/01/94  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: 09/08/99  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 7  
Material: Cathodically Protected Steel  
Capacity: 8000.00  
Overfill Protection:  
Spill Date : 06/01/94  
Overfill Installed : 06/01/94  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Installed  
Status Date: 07/01/86  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 7  
Material: Cathodically Protected Steel  
Capacity: 8000.00  
Overfill Protection:  
Spill Date : 06/01/94  
Overfill Installed : 06/01/94  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
Owner County: Not reported

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**JETTS TEXACO/LITTLES TEXACO/AMOC (Continued)**

**U001475672**

Owner Phone (706) 295-1797  
Product: Gas  
Status: Currently In Use  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 7  
Material: Cathodically Protected Steel  
Capacity: 8000.00  
Overfill Protection:  
Spill Date : 06/01/94  
Overfill Installed : 06/01/94  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165

Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: 06/08/95  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 1  
Material: Steel  
Capacity: 8000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165

Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Installed  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 1  
Material: Steel  
Capacity: 8000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation    Site

MAP FINDINGS

Database(s)  
EDR ID Number  
EPA ID Number

**JETTS TEXACO/LITTLES TEXACO/AMOC (Continued)**

**U001475672**

Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Removed From Ground  
Status Date: 06/01/86  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 1  
Material: Steel  
Capacity: 8000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 2  
Material: Steel  
Capacity: 1.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Installed  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330356  
Total Tanks: 11

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

JETTS TEXACO/LITTLES TEXACO/AMOC (Continued)

U001475672

Tank ID: 2  
Material: Steel  
Capacity: 1.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Removed From Ground  
Status Date: 06/01/86  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel  
  
Facility ID: 330356  
Total Tanks: 11  
Tank ID: 2  
Material: Steel  
Capacity: 1.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel  
  
Facility ID: 330356  
Total Tanks: 11  
Tank ID: 3  
Material: Steel  
Capacity: 1.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Installed

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation    Site

MAP FINDINGS

Database(s)  
EDR ID Number  
EPA ID Number

JETTS TEXACO/LITTLES TEXACO/AMOC (Continued)

U001475672

Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 3  
Material: Steel  
Capacity: 1.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165

Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Removed From Ground  
Status Date: 06/01/86  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 3  
Material: Steel  
Capacity: 1.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165

Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 4  
Material: Steel  
Capacity: 500.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

JETTS TEXACO/LITTLES TEXACO/AMOC (Continued)

U001475672

4786 OLD DALTON RD  
ROME, GA 30165  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Used Oil  
Status: Installed  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 4  
Material: Steel  
Capacity: 500.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400

4786 OLD DALTON RD  
ROME, GA 30165  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Used Oil  
Status: Removed From Ground  
Status Date: 06/01/86  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 4  
Material: Steel  
Capacity: 500.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400

4786 OLD DALTON RD  
ROME, GA 30165  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Used Oil  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 10  
Material: Steel  
Capacity: 1000.00



Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation    Site

MAP FINDINGS

Database(s)  
EDR ID Number  
EPA ID Number

JETTS TEXACO/LITTLES TEXACO/AMOC (Continued)

U001475672

Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Used Oil  
Status: Installed  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Bare Steel  
  
Facility ID: 330356  
Total Tanks: 11  
Tank ID: 10  
Material: Steel  
Capacity: 1000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Used Oil  
Status: Removed From Ground  
Status Date: 09/01/00  
Pipe Type : Not Marked  
Pipe Material: Bare Steel  
  
Facility ID: 330356  
Total Tanks: 11  
Tank ID: 10  
Material: Steel  
Capacity: 1000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Used Oil  
Status: Upgrade Repair Not Marked  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Bare Steel

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

JETTS TEXACO/LITTLES TEXACO/AMOC (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001475672

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 11  
Material: Steel  
Capacity: 1000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Diesel  
Status: Installed  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Bare Steel

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 11  
Material: Steel  
Capacity: 1000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
Owner County: Not reported  
Owner Phone (706) 295-1797  
Product: Diesel  
Status: Removed From Ground  
Status Date: 09/01/00  
Pipe Type : Not Marked  
Pipe Material: Bare Steel

Facility ID: 330356  
Total Tanks: 11  
Tank ID: 11  
Material: Steel  
Capacity: 1000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: TRUST OF BILLY JACK LITTLE  
Owner ID: 2400  
4786 OLD DALTON RD  
ROME, GA 30165  
Owner County: Not reported

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**JETTS TEXACO/LITTLES TEXACO/AMOC (Continued)**

**U001475672**

Owner Phone (706) 295-1797  
Product: Diesel  
Status: Upgrade Repair Not Marked  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Bare Steel

**25**  
**NNE**  
**1/4-1/2**  
**2175 ft.**

**AT&T GA 4002**  
**27 NORTH FAIRGROUND ST**  
**MARIETTA, GA 30060**

**LUST** **U001475820**  
**UST** **N/A**

**Relative:**  
**Lower**

LUST:  
Facility ID: 00330539  
Leak ID: 1  
Date Received: 7/2/1997  
Project Officer: Li,Yonghong June  
Description: Confirmed Release Received

**Actual:**  
**1107 ft.**

UST:  
Facility ID: 330539  
Total Tanks: 1  
Tank ID: 1  
Material: Marked Unknown  
Capacity: 3000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: AT&T  
Owner ID: 1272  
227 W MONROE ST SUITE 1004  
CHICAGO, IL 60606  
Owner County: Not reported  
Owner Phone (312) 230-5249  
Product: Gas  
Status: Installed  
Status Date: 05/08/86  
Pipe Type : Not Marked  
Pipe Material: Unknown

Facility ID: 330539  
Total Tanks: 1  
Tank ID: 1  
Material: Marked Unknown  
Capacity: 3000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: AT&T  
Owner ID: 1272  
227 W MONROE ST SUITE 1004  
CHICAGO, IL 60606  
Owner County: Not reported  
Owner Phone (312) 230-5249  
Product: Gas  
Status: Removed From Ground  
Status Date: 06/25/97

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

AT&T GA 4002 (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001475820

Pipe Type : Not Marked  
Pipe Material: Unknown  
  
Facility ID: 330539  
Total Tanks: 1  
Tank ID: 1  
Material: Marked Unknown  
Capacity: 3000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: AT&T  
Owner ID: 1272  
227 W MONROE ST SUITE 1004  
CHICAGO, IL 60606  
  
Owner County: Not reported  
Owner Phone (312) 230-5249  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Unknown

26  
North  
1/4-1/2  
2264 ft.

MARIETTA NATIONAL CEMETERY  
500 WASHINGTON AVE  
MARIETTA, GA 30060

FINDS 1006775270  
LUST 110013445673  
UST

Relative:  
Equal

FINDS:  
Other Pertinent Environmental Activity Identified at Site:  
Georgia Environmental Information Management System

Actual:  
1127 ft.

LUST:  
Facility ID: 09033282  
Leak ID: 1  
Date Received: 9/23/1993  
Project Officer: Boutelle, Brian R  
Description: Confirmed Release Received  
  
UST:  
Facility ID: 9033282  
Total Tanks: 1  
Tank ID: 1  
Material: Marked Unknown  
Capacity: 280.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: MARIETTA NATIONAL CEMETERY  
Owner ID: 1873  
500 WASHINGTON AVE  
MARIETTA, GA 30060  
  
Owner County: Not reported  
Owner Phone (770) 428-5631  
Product: Gas  
Status: Installed  
Status Date: / /  
Pipe Type : Not Marked

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

MARIETTA NATIONAL CEMETERY (Continued)

EDR ID Number  
EPA ID Number

Database(s)

1006775270

Pipe Material: Unknown

Facility ID: 9033282  
Total Tanks: 1  
Tank ID: 1  
Material: Marked Unknown  
Capacity: 280.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: MARIETTA NATIONAL CEMETERY  
Owner ID: 1873  
500 WASHINGTON AVE  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-5631  
Product: Gas  
Status: Currently In Use  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Unknown

Facility ID: 9033282  
Total Tanks: 1  
Tank ID: 1  
Material: Marked Unknown  
Capacity: 280.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: MARIETTA NATIONAL CEMETERY  
Owner ID: 1873  
500 WASHINGTON AVE  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-5631  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Unknown

27  
SE  
1/4-1/2  
2374 ft.

UNITED PARCEL SERVICE-MARIETTA C  
463 COMMERCE PARK DR  
MARIETTA, GA 30060

LUST U001475860  
UST N/A

Relative:  
Lower

LUST:  
Facility ID: 00330585  
Leak ID: 2  
Date Received: 1/13/1999  
Project Officer: Logan, William E.  
Description: Confirmed Release Received

UST:  
Facility ID: 330585  
Total Tanks: 3

Actual:  
1055 ft.

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**UNITED PARCEL SERVICE-MARIETTA C (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U001475860**

Tank ID: 1  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: UPS PLANT ENGINEERING  
Owner ID: 193  
3930 PLEASANTDALE RD  
DORAVILLE, GA 30340  
  
Owner County: Not reported  
Owner Phone (770) 441-6995  
Product: Gas  
Status: Installed  
Status Date: 05/06/80  
Pipe Type : Not Marked  
Pipe Material: Unknown  
  
Facility ID: 330585  
Total Tanks: 3  
Tank ID: 1  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: UPS PLANT ENGINEERING  
Owner ID: 193  
3930 PLEASANTDALE RD  
DORAVILLE, GA 30340  
  
Owner County: Not reported  
Owner Phone (770) 441-6995  
Product: Gas  
Status: Removed From Ground  
Status Date: 01/11/94  
Pipe Type : Not Marked  
Pipe Material: Unknown  
  
Facility ID: 330585  
Total Tanks: 3  
Tank ID: 1  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: UPS PLANT ENGINEERING  
Owner ID: 193  
3930 PLEASANTDALE RD  
DORAVILLE, GA 30340  
  
Owner County: Not reported  
Owner Phone (770) 441-6995  
Product: Gas  
Status: Upgrade Repair Not Marked

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

UNITED PARCEL SERVICE-MARIETTA C (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001475860

Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Unknown

Facility ID: 330585  
Total Tanks: 3  
Tank ID: 2  
Material: Steel  
Capacity: 500.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: UPS PLANT ENGINEERING  
Owner ID: 193  
3930 PLEASANTDALE RD  
DORAVILLE, GA 30340

Owner County: Not reported  
Owner Phone (770) 441-6995  
Product: Used Oil  
Status: Installed  
Status Date: 05/06/80  
Pipe Type : Not Marked  
Pipe Material: Unknown

Facility ID: 330585  
Total Tanks: 3  
Tank ID: 2  
Material: Steel  
Capacity: 500.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: UPS PLANT ENGINEERING  
Owner ID: 193  
3930 PLEASANTDALE RD  
DORAVILLE, GA 30340

Owner County: Not reported  
Owner Phone (770) 441-6995  
Product: Used Oil  
Status: Removed From Ground  
Status Date: 01/20/94  
Pipe Type : Not Marked  
Pipe Material: Unknown

Facility ID: 330585  
Total Tanks: 3  
Tank ID: 2  
Material: Steel  
Capacity: 500.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: UPS PLANT ENGINEERING  
Owner ID: 193

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

UNITED PARCEL SERVICE-MARIETTA C (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001475860

3930 PLEASANTDALE RD  
DORAVILLE, GA 30340  
Owner County: Not reported  
Owner Phone (770) 441-6995  
Product: Used Oil  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Not Marked  
Pipe Material: Unknown

Facility ID: 330585  
Total Tanks: 3  
Tank ID: 3  
Material: Fiberglass  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : 01/01/94  
Overfill Installed : 01/01/94  
Tank Exempt From Spill : Not reported  
Owner: UPS PLANT ENGINEERING  
Owner ID: 193

3930 PLEASANTDALE RD  
DORAVILLE, GA 30340  
Owner County: Not reported  
Owner Phone (770) 441-6995  
Product: Gas  
Status: Installed  
Status Date: 01/24/94  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330585  
Total Tanks: 3  
Tank ID: 3  
Material: Fiberglass  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : 01/01/94  
Overfill Installed : 01/01/94  
Tank Exempt From Spill : Not reported  
Owner: UPS PLANT ENGINEERING  
Owner ID: 193

3930 PLEASANTDALE RD  
DORAVILLE, GA 30340  
Owner County: Not reported  
Owner Phone (770) 441-6995  
Product: Gas  
Status: Removed From Ground  
Status Date: 12/02/98  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

Facility ID: 330585  
Total Tanks: 3  
Tank ID: 3  
Material: Fiberglass  
Capacity: 12000.00



Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

UNITED PARCEL SERVICE-MARIETTA C (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001475860

Overfill Protection:  
Spill Date : 01/01/94  
Overfill Installed : 01/01/94  
Tank Exempt From Spill : Not reported  
Owner: UPS PLANT ENGINEERING  
Owner ID: 193  
3930 PLEASANTDALE RD  
DORAVILLE, GA 30340  
Owner County: Not reported  
Owner Phone (770) 441-6995  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Fiberglass Reinforced Plastic

28  
South  
1/4-1/2  
2596 ft.

SEARS ROEBUCK & CO #8275  
460 GLOVER ST  
MARIETTA, GA 30060

LUST U001475775  
UST N/A

Relative:  
Lower

LUST:  
Facility ID: 00330490  
Leak ID: 1  
Date Received: 10/4/1994  
Project Officer: Jones, F. Calvin  
Description: Confirmed Release Received

Actual:  
1065 ft.

Facility ID: 00330490  
Leak ID: 1  
Date Received: 9/9/1994  
Project Officer: Jones, F. Calvin  
Description: Suspected Release Received

UST:  
Facility ID: 330490  
Total Tanks: 2  
Tank ID: 1  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SEARS ROEBUCK & CO  
Owner ID: 2659  
460 GLOVER ST  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 425-7020  
Product: Gas  
Status: Installed  
Status Date: 05/12/66  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330490  
Total Tanks: 2  
Tank ID: 1

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

SEARS ROEBUCK & CO #8275 (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001475775

Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SEARS ROEBUCK & CO  
Owner ID: 2659  
460 GLOVER ST  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 425-7020  
Product: Gas  
Status: Removed From Ground  
Status Date: 09/08/94  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel  
Facility ID: 330490  
Total Tanks: 2  
Tank ID: 1  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Not reported  
Owner: SEARS ROEBUCK & CO  
Owner ID: 2659  
460 GLOVER ST  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 425-7020  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel  
Facility ID: 330490  
Total Tanks: 2  
Tank ID: 2  
Material: Steel  
Capacity: 500.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: SEARS ROEBUCK & CO  
Owner ID: 2659  
460 GLOVER ST  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 425-7020  
Product: Used Oil  
Status: Installed  
Status Date: 05/09/77

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

SEARS ROEBUCK & CO #8275 (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001475775

Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330490  
Total Tanks: 2  
Tank ID: 2  
Material: Steel  
Capacity: 500.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: SEARS ROEBUCK & CO  
Owner ID: 2659  
460 GLOVER ST  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 425-7020  
Product: Used Oil  
Status: Removed From Ground  
Status Date: 09/08/94  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

Facility ID: 330490  
Total Tanks: 2  
Tank ID: 2  
Material: Steel  
Capacity: 500.00  
Overfill Protection: Yes  
Spill Date : Not reported  
Overfill Installed : Not reported  
Tank Exempt From Spill : Yes  
Owner: SEARS ROEBUCK & CO  
Owner ID: 2659  
460 GLOVER ST  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 425-7020  
Product: Used Oil  
Status: Upgrade Repair Not Marked  
Status Date: / /  
Pipe Type : Not Marked  
Pipe Material: Galvanized Steel

29  
SW  
1/2-1  
2707 ft.

GENE & GARY'S TEXACO  
529 ATLANTA STREET  
MARIETTA, GA 30060

LUST U003005312  
UST N/A

Relative:  
Lower

LUST:  
Facility ID: 09033448  
Leak ID: 1  
Date Received: 7/1/2002  
Project Officer: Wallace, Ronald J  
Description: Confirmed Release Received

Actual:  
1121 ft.

UST:  
Facility ID: 9033448

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**GENE & GARY'S TEXACO (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003005312**

Total Tanks: 3  
Tank ID: 1  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: RON V SMITH  
Owner ID: 2091  
529 ATLANTA STREET  
MARIETTA, GA 30060  
  
Owner County: Not reported  
Owner Phone (770) 428-5161  
Product: Gas  
Status: Installed  
Status Date: 06/13/63  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel  
  
Facility ID: 9033448  
Total Tanks: 3  
Tank ID: 1  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: RON V SMITH  
Owner ID: 2091  
529 ATLANTA STREET  
MARIETTA, GA 30060  
  
Owner County: Not reported  
Owner Phone (770) 428-5161  
Product: Gas  
Status: Currently In Use  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel  
  
Facility ID: 9033448  
Total Tanks: 3  
Tank ID: 1  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: RON V SMITH  
Owner ID: 2091  
529 ATLANTA STREET  
MARIETTA, GA 30060  
  
Owner County: Not reported  
Owner Phone (770) 428-5161  
Product: Gas

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

GENE & GARY'S TEXACO (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U003005312

Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

Facility ID: 9033448  
Total Tanks: 3  
Tank ID: 2  
Material: Steel  
Capacity: 8000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: RON V SMITH  
Owner ID: 2091

529 ATLANTA STREET  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-5161  
Product: Gas  
Status: Installed  
Status Date: 06/13/63  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

Facility ID: 9033448  
Total Tanks: 3  
Tank ID: 2  
Material: Steel  
Capacity: 8000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: RON V SMITH  
Owner ID: 2091

529 ATLANTA STREET  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-5161  
Product: Gas  
Status: Currently In Use  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

Facility ID: 9033448  
Total Tanks: 3  
Tank ID: 2  
Material: Steel  
Capacity: 8000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: RON V SMITH

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**GENE & GARY'S TEXACO (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003005312**

Owner ID: 2091  
529 ATLANTA STREET  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-5161  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

Facility ID: 9033448  
Total Tanks: 3  
Tank ID: 3  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: RON V SMITH  
Owner ID: 2091

529 ATLANTA STREET  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-5161  
Product: Gas  
Status: Installed  
Status Date: 06/13/63  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

Facility ID: 9033448  
Total Tanks: 3  
Tank ID: 3  
Material: Steel  
Capacity: 6000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: RON V SMITH  
Owner ID: 2091

529 ATLANTA STREET  
MARIETTA, GA 30060

Owner County: Not reported  
Owner Phone (770) 428-5161  
Product: Gas  
Status: Currently In Use  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

Facility ID: 9033448  
Total Tanks: 3  
Tank ID: 3  
Material: Steel

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**GENE & GARY'S TEXACO (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U003005312**

Capacity: 6000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: RON V SMITH  
Owner ID: 2091  
529 ATLANTA STREET  
MARIETTA, GA 30060  
Owner County: Not reported  
Owner Phone (770) 428-5161  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

**30**  
**ESE**  
**1/2-1**  
**2773 ft.**

**LANCE OIL**  
**749 CLAY ST**  
**MARIETTA, GA 30060**

**LUST** **U001490540**  
**UST** **N/A**

**Relative:** LUST:  
**Lower** Facility ID: 09033121  
Leak ID: 1  
**Actual:** Date Received: 4/2/1999  
**1041 ft.** Project Officer: Humphris, David D  
Description: Confirmed Release Received

UST:  
Facility ID: 9033121  
Total Tanks: 4  
Tank ID: 1  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: USA PETROLEUM CORP  
Owner ID: 99  
30101 AGOURA CT STE 200  
Agoura Hills, CA 91301  
Owner County: Not reported  
Owner Phone 818-865-9200  
Product: Gas  
Status: Installed  
Status Date: 04/01/78  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

Facility ID: 9033121  
Total Tanks: 4  
Tank ID: 1  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**LANCE OIL (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**U001490540**

Tank Exempt From Spill : Not reported  
Owner: USA PETROLEUM CORP  
Owner ID: 99  
30101 AGOURA CT STE 200  
Agoura Hills, CA 91301  
Owner County: Not reported  
Owner Phone 818-865-9200  
Product: Gas  
Status: Removed From Ground  
Status Date: 05/01/98  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

Facility ID: 9033121  
Total Tanks: 4  
Tank ID: 1  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: USA PETROLEUM CORP  
Owner ID: 99  
30101 AGOURA CT STE 200  
Agoura Hills, CA 91301  
Owner County: Not reported  
Owner Phone 818-865-9200  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

Facility ID: 9033121  
Total Tanks: 4  
Tank ID: 2  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: USA PETROLEUM CORP  
Owner ID: 99  
30101 AGOURA CT STE 200  
Agoura Hills, CA 91301  
Owner County: Not reported  
Owner Phone 818-865-9200  
Product: Gas  
Status: Installed  
Status Date: 04/01/78  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

Facility ID: 9033121  
Total Tanks: 4



Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

LANCE OIL (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001490540

Tank ID: 2  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: USA PETROLEUM CORP  
Owner ID: 99  
30101 AGOURA CT STE 200  
Agoura Hills, CA 91301  
Owner County: Not reported  
Owner Phone 818-865-9200  
Product: Gas  
Status: Removed From Ground  
Status Date: 05/01/98  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel  
Facility ID: 9033121  
Total Tanks: 4  
Tank ID: 2  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: USA PETROLEUM CORP  
Owner ID: 99  
30101 AGOURA CT STE 200  
Agoura Hills, CA 91301  
Owner County: Not reported  
Owner Phone 818-865-9200  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel  
Facility ID: 9033121  
Total Tanks: 4  
Tank ID: 3  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: USA PETROLEUM CORP  
Owner ID: 99  
30101 AGOURA CT STE 200  
Agoura Hills, CA 91301  
Owner County: Not reported  
Owner Phone 818-865-9200  
Product: Gas  
Status: Installed

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

LANCE OIL (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001490540

Status Date: 04/01/78  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

Facility ID: 9033121  
Total Tanks: 4  
Tank ID: 3  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: USA PETROLEUM CORP  
Owner ID: 99  
30101 AGOURA CT STE 200  
Agoura Hills, CA 91301

Owner County: Not reported  
Owner Phone 818-865-9200  
Product: Gas  
Status: Removed From Ground  
Status Date: 05/01/98  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

Facility ID: 9033121  
Total Tanks: 4  
Tank ID: 3  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: USA PETROLEUM CORP  
Owner ID: 99  
30101 AGOURA CT STE 200  
Agoura Hills, CA 91301

Owner County: Not reported  
Owner Phone 818-865-9200  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

Facility ID: 9033121  
Total Tanks: 4  
Tank ID: 4  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: USA PETROLEUM CORP  
Owner ID: 99

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

LANCE OIL (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001490540

30101 AGOURA CT STE 200  
Agoura Hills, CA 91301  
Owner County: Not reported  
Owner Phone 818-865-9200  
Product: Gas  
Status: Installed  
Status Date: 04/01/78  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

Facility ID: 9033121  
Total Tanks: 4  
Tank ID: 4  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: USA PETROLEUM CORP  
Owner ID: 99

30101 AGOURA CT STE 200  
Agoura Hills, CA 91301  
Owner County: Not reported  
Owner Phone 818-865-9200  
Product: Gas  
Status: Removed From Ground  
Status Date: 05/01/98  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

Facility ID: 9033121  
Total Tanks: 4  
Tank ID: 4  
Material: Steel  
Capacity: 12000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: USA PETROLEUM CORP  
Owner ID: 99

30101 AGOURA CT STE 200  
Agoura Hills, CA 91301  
Owner County: Not reported  
Owner Phone 818-865-9200  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: Not reported  
Pipe Type : Pressure  
Pipe Material: Galvanized Steel

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

31  
SSW  
1/2-1  
2850 ft.

DAYTONA ANTIFREEZE CO  
542 BUTLER ST SE  
MARIETTA, GA 30060

CERCLIS  
RCRA-SQG  
FINDS  
GA NON-HSI  
EDR ID Number  
EPA ID Number  
1000449257  
GAD981271588

Relative:  
Lower

CERCLIS Classification Data:

Actual:  
1092 ft.

Site incident category	Oil Spill	Federal Facility:	Not a Federal Facility
Non NPL Status:	NFRAP	NPL Status:	Not on the NPL
Ownership Status:	Unknown	Contact Tel:	(404) 562-8814
Contact:	Beth Brown	Contact Tel:	(404) 562-8929
Contact Title:	Not reported	Contact Tel:	(404) 562-8923
Contact:	RANDALL CHAFFINS	Contact Tel:	(404) 562-8923
Contact Title:	Not reported	Contact Tel:	(404) 562-8952
Contact:	BARBARA DICK	Contact Tel:	(404) 562-8952
Contact Title:	Not reported	Contact Tel:	(404) 562-8952
Contact:	Brian Farrier	Contact Tel:	(404) 562-8952
Contact Title:	Not reported	Contact Tel:	(404) 562-8829
Contact:	Ralph Howard	Contact Tel:	(404) 562-8829
Contact Title:	Not reported	Contact Tel:	(404) 562-8795
Contact:	William Joyner	Contact Tel:	(404) 562-8795
Contact Title:	Not reported	Contact Tel:	(404) 562-8719
Contact:	Carol Monell	Contact Tel:	(404) 562-8719
Contact Title:	Not reported	Contact Tel:	(404) 562-8792
Contact:	Mike Norman	Contact Tel:	(404) 562-8792
Contact Title:	Not reported		
Site Description:	ABANDONED ANTIFREEZE RECYCLER WITH NUMEROUS HAZARDOUS SUBSTANCE DRUMS AND LARGE STORAGE TANKS HOLDING WASTE OIL.		

CERCLIS Assessment History:

Assessment:	DISCOVERY	Completed:	08/23/1991
Assessment:	INTEGRATED ASSESSMENT	Completed:	09/15/1991
Assessment:	ADMINISTRATIVE RECORDS	Completed:	03/23/1992
Assessment:	REMOVAL	Completed:	12/15/1992
Assessment:	PRELIMINARY ASSESSMENT	Completed:	06/04/1993
Assessment:	ADMIN ORDER ON CONSENT	Completed:	09/29/1995
Assessment:	Lodged By DOJ	Completed:	11/01/1996
Assessment:	Lodged By DOJ	Completed:	11/01/1996
Assessment:	Lodged By DOJ	Completed:	11/01/1996
Assessment:	CONSENT DECREE	Completed:	11/14/1996
Assessment:	CONSENT DECREE	Completed:	11/14/1996
Assessment:	Lodged By DOJ	Completed:	02/14/1997
Assessment:	Lodged By DOJ	Completed:	02/21/1997
Assessment:	Lodged By DOJ	Completed:	02/21/1997
Assessment:	CONSENT DECREE	Completed:	03/03/1997
Assessment:	CONSENT DECREE	Completed:	03/03/1997
Assessment:	CONSENT DECREE	Completed:	03/03/1997

CERCLIS Site Status:

Not reported

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

**DAYTONA ANTIFREEZE CO (Continued)**

EDR ID Number  
EPA ID Number

Database(s)

**1000449257**

RCRAInfo:

Owner: SHEPHERD RICHARD  
UNKNOWN  
EPA ID: GAD981271588  
Contact: RICHARD SHEPHERD  
(404) 421-1520  
Classification: Small Quantity Generator  
TSDF Activities: Not reported  
Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:  
Aerometric Information Retrieval System/AIRS Facility Subsystem  
Comprehensive Environmental Response, Compensation and Liability Information System  
Integrated Compliance Information  
Resource Conservation and Recovery Act Information system

Non-HSI:

Latitude/Longitude: 33.5623 / -84.3235  
Ground Water Pathway Score: 0  
On-Site Pathway Score: 0  
Report Date: Not reported  
Contaminants: Not reported

**I32 U HAUL #77661**  
**NE 706 ROSWELL ST**  
**1/2-1 MARIETTA, GA 30060**  
**2972 ft.**

**LUST 1006783666**  
**UST N/A**

**Site 1 of 2 in cluster I**

**Relative:**  
**Lower**

LUST:

Facility ID: 00330573  
Leak ID: 1  
Date Received: 10/1/1998  
Project Officer: Logan, William E.  
Description: Confirmed Release Received

**Actual:**  
**1102 ft.**

UST:

Facility ID: 330573  
Total Tanks: 1  
Tank ID: 1  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: U HAUL CO OF WESTERN GEORGIA  
Owner ID: 783  
300 PETERS ST SW  
ATLANTA, GA 30313  
Owner County: Not reported  
Owner Phone (404) 681-0505  
Product: Gas  
Status: Installed  
Status Date: 05/10/79  
Pipe Type : Suction: Valve At The Tank

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

U HAUL #77661 (Continued)

EDR ID Number  
EPA ID Number

Database(s)

1006783666

Pipe Material: Bare Steel

Facility ID: 330573  
Total Tanks: 1  
Tank ID: 1  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: U HAUL CO OF WESTERN GEORGIA  
Owner ID: 783  
300 PETERS ST SW  
ATLANTA, GA 30313

Owner County: Not reported  
Owner Phone (404) 681-0505  
Product: Gas  
Status: Removed From Ground  
Status Date: 08/07/98  
Pipe Type : Suction: Valve At The Tank  
Pipe Material: Bare Steel

Facility ID: 330573  
Total Tanks: 1  
Tank ID: 1  
Material: Steel  
Capacity: 10000.00  
Overfill Protection:  
Spill Date : / /  
Overfill Installed : / /  
Tank Exempt From Spill : Not reported  
Owner: U HAUL CO OF WESTERN GEORGIA  
Owner ID: 783  
300 PETERS ST SW  
ATLANTA, GA 30313

Owner County: Not reported  
Owner Phone (404) 681-0505  
Product: Gas  
Status: Upgrade Repair Not Marked  
Status Date: / /  
Pipe Type : Suction: Valve At The Tank  
Pipe Material: Bare Steel

I33  
NE  
1/2-1  
3013 ft.

TIRE EMPIRE  
737 ROSWELL ST.  
SMYRNA, GA 30060

GA NON-HSI S104819274  
N/A

Relative:  
Lower

Site 2 of 2 in cluster I

Non-HSI:  
Latitude/Longitude: 33.99 / 95.36  
Ground Water Pathway Score: 3.25  
On-Site Pathway Score: 0  
Report Date: 1,2-dichloropro  
Contaminants: Not reported

Actual:  
1099 ft.

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**34**  
**ESE**  
**1/2-1**  
**3273 ft.**

**CHEVRON FOOD MART #160**  
**811 S MARIETTA PKWY**  
**MARIETTA, GA 30060**

**FINDS** **1006788915**  
**LUST** **110013583283**

**Relative:**  
**Lower**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site:  
Georgia Environmental Information Management System

**Actual:**  
**1037 ft.**

**LUST:**  
Facility ID: 09033101  
Leak ID: 1  
Date Received: 6/29/1998  
Project Officer: White, Kenneth  
Description: Suspected Release Received  
  
Facility ID: 09033101  
Leak ID: 2  
Date Received: 9/11/2002  
Project Officer: Li, Yonghong June  
Description: Confirmed Release Received

**35**  
**SSW**  
**1/2-1**  
**3520 ft.**

**FORMER GLOVER MACHINE WORKS**  
**651 BUTLER ST.**  
**SMYRNA, GA 30068**

**GA NON-HSI** **S104819260**  
**N/A**

**Relative:**  
**Lower**

**Non-HSI:**  
Latitude/Longitude: Not reported  
Ground Water Pathway Score: 8.13  
On-Site Pathway Score: 0  
Report Date: Not reported  
Contaminants: Not reported

**Actual:**  
**1086 ft.**

**36**  
**NW**  
**1/2-1**  
**4786 ft.**

**85-95 CHURCH STREET**  
**85-95 CHURCH STREET**  
**MARIETTA, GA 30060**

**GA NON-HSI** **S104819252**  
**N/A**

**Relative:**  
**Lower**

**Non-HSI:**  
Latitude/Longitude: 33.953833 / 84.550833  
Ground Water Pathway Score: 6.45  
On-Site Pathway Score: 19.26  
Report Date: Sep-99  
Contaminants: Not reported

**Actual:**  
**1114 ft.**

**37**  
**NNW**  
**> 1**  
**5489 ft.**

**BLAIR MFG. CO.**  
**111 N MARIETTA PKWY.**  
**MARIETTA, GA 30060**

**GA NON-HSI** **S104819253**  
**N/A**

**Relative:**  
**Lower**

**Non-HSI:**  
Latitude/Longitude: 33.958 / -84.551  
Ground Water Pathway Score: 4.1  
On-Site Pathway Score: 0  
Report Date: Not reported  
Contaminants: Not reported

**Actual:**  
**1092 ft.**

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

38  
ESE  
> 1  
5511 ft.

SOUTHERN TECH  
1100 S. MARIETTA PKWY  
SMYRNA, GA 30060

GA NON-HSI S104819272  
N/A

Relative:  
Lower

Non-HSI:

Latitude/Longitude:	Not reported
Ground Water Pathway Score:	4.1
On-Site Pathway Score:	0
Report Date:	Not reported
Contaminants:	Not reported

Actual:  
1069 ft.



## ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
MARIETTA	1006775110	CREATWOOD FARMS	3210 ATLANTA RD	30060	LUST, UST
MARIETTA	S104548377	CITY OF MARIETTA	BEHIND YELLOW FREIGHT OFF OF HWY 41		GA Spills
MARIETTA	U003936366	FAST SHOP SHELL	334 SOUTH COBB PKWY	30060	UST
MARIETTA	1006786712	CHEVRON/DALE HARVEY (FORMER)	3350 DALLAS HWY	30060	FINDS, LUST, UST
MARIETTA	1006788192	MAULDIN TEXACO (FORMER)	1940 DALLAS HWY @ MT CALVERY RD	30060	LUST, UST
MARIETTA	S104548667	MARIETTA WATER & SEWER	I-75NB @ DELK ROAD		GA Spills
MARIETTA	S101527561	UNKNOWN E & S SITE	NORTH JOHNSON FERRY ROAD		GA Spills
MARIETTA	S104548555	MARIETTA WATER	KENNESAW AVE @ ST. MARY'S LANE		GA Spills
MARIETTA	S104001241	MARIETTA WATER AND SEWER	142 LEANER CT. SE		GA Spills
MARIETTA	S104252574	CITY OF MARIETTA	MANNING RD		GA Spills
MARIETTA	984491881	MARIETTA BLVD AND CARROL DR	MARIETTA BLVD AND CARROL DR		ERNS
MARIETTA	984491880	MARIETTA BLVD AND CARROL DR	MARIETTA BLVD AND CARROL DR		ERNS
MARIETTA	8872068	MARIETTA MILLWORKS	MARIETTA MILLWORKS		ERNS
MARIETTA	1006782398	TRICO V PETROLEUM INC #930	500 S MARIETTA PKWY CLAY ST	30060	FINDS, UST
MARIETTA	1004687105	SUPERIOR OPTICS INC	1349 OLD HIGHWAY 41 STE 135	30060	RCRA-SQG, FINDS
MARIETTA	1006789651	TIP TOP FOODS OF GEORGIA	1633 OLD US HWY 41	30060	FINDS, UST
MARIETTA	1003869113	MARIETTA MERCURY SPILL	240 PAT MELL RD	30060	CERC-NFRAP
MARIETTA	1006788205	SOUTHERN BELL CABLE VAULT	POWDER SPRINGS RD @ GARRISON RD	30060	FINDS, LUST, UST
MARIETTA	1004688249	BST MRTTGAEA F5379	2215 ROSWELL RD NE	30060	RCRA-SQG, FINDS
MARIETTA	1007118453	THE GLIDDEN CO DBA ICI PAINT	933 ROSWELL ROAD	30060	RCRA-SQG
MARIETTA	1006772165	UNITED FOOD AND GAS INC	574 ROSWELL RD	30060	FINDS, LUST, UST
MARIETTA	S104548485	MARIETTA WATER	SURRY LANE		GA Spills
MARIETTA	94413205	TWO BLOCKS OFF MARIETTA SQUARE ON WEST EN OF HWY 120	TWO BLOCKS OFF MARIETTA SQUARE ON WEST END OF HWY 120		ERNS
SMYRNA	S104240177	THOMPSON-HAYWARD CO.	FLORENCE RD. AT HWY. 278	30060	GA NON-HSI

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

**Elapsed ASTM days:** Provides confirmation that this EDR report meets or exceeds the 90-day updating requirement of the ASTM standard.

## **FEDERAL ASTM STANDARD RECORDS**

### **NPL: National Priority List**

Source: EPA

Telephone: N/A

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 10/12/04

Date Made Active at EDR: 12/09/04

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 11/02/04

Elapsed ASTM days: 37

Date of Last EDR Contact: 11/02/04

### **NPL Site Boundaries**

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)

Telephone: 202-564-7333

EPA Region 1

Telephone 617-918-1143

EPA Region 6

Telephone: 214-655-6659

EPA Region 3

Telephone 215-814-5418

EPA Region 8

Telephone: 303-312-6774

EPA Region 4

Telephone 404-562-8033

### **Proposed NPL: Proposed National Priority List Sites**

Source: EPA

Telephone: N/A

Date of Government Version: 09/23/04

Date Made Active at EDR: 12/09/04

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 11/02/04

Elapsed ASTM days: 37

Date of Last EDR Contact: 11/02/04

### **CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System**

Source: EPA

Telephone: 703-413-0223

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 08/10/04

Date Made Active at EDR: 10/27/04

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 09/21/04

Elapsed ASTM days: 36

Date of Last EDR Contact: 12/21/04

### **CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned**

Source: EPA

Telephone: 703-413-0223

As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens to promote economic redevelopment of unproductive urban sites.

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/10/04  
Date Made Active at EDR: 10/27/04  
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 09/21/04  
Elapsed ASTM days: 36  
Date of Last EDR Contact: 12/21/04

### **CORRACTS:** Corrective Action Report

Source: EPA

Telephone: 800-424-9346

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 09/23/04  
Date Made Active at EDR: 11/18/04  
Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 10/07/04  
Elapsed ASTM days: 42  
Date of Last EDR Contact: 12/07/04

### **RCRA:** Resource Conservation and Recovery Act Information

Source: EPA

Telephone: 800-424-9346

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month. Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator off-site to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 11/23/04  
Date Made Active at EDR: 01/18/05  
Database Release Frequency: Varies

Date of Data Arrival at EDR: 11/24/04  
Elapsed ASTM days: 55  
Date of Last EDR Contact: 11/24/04

### **ERNS:** Emergency Response Notification System

Source: National Response Center, United States Coast Guard

Telephone: 202-260-2342

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/03  
Date Made Active at EDR: 03/12/04  
Database Release Frequency: Annually

Date of Data Arrival at EDR: 01/26/04  
Elapsed ASTM days: 46  
Date of Last EDR Contact: 10/25/04

## **FEDERAL ASTM SUPPLEMENTAL RECORDS**

### **BRS:** Biennial Reporting System

Source: EPA/NTIS

Telephone: 800-424-9346

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/01/01  
Database Release Frequency: Biennially

Date of Last EDR Contact: 12/13/04  
Date of Next Scheduled EDR Contact: 03/14/05

### **CONSENT:** Superfund (CERCLA) Consent Decrees

Source: Department of Justice, Consent Decree Library

Telephone: Varies

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/05/04  
Database Release Frequency: Varies

Date of Last EDR Contact: 10/25/04  
Date of Next Scheduled EDR Contact: 01/24/05

### **ROD:** Records Of Decision

Source: EPA  
Telephone: 703-416-0223

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 09/09/04  
Database Release Frequency: Annually

Date of Last EDR Contact: 01/05/05  
Date of Next Scheduled EDR Contact: 04/04/05

### **DELISTED NPL:** National Priority List Deletions

Source: EPA  
Telephone: N/A

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 10/12/04  
Database Release Frequency: Quarterly

Date of Last EDR Contact: 11/02/04  
Date of Next Scheduled EDR Contact: 01/31/05

### **FINDS:** Facility Index System/Facility Identification Initiative Program Summary Report

Source: EPA  
Telephone: N/A

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 09/09/04  
Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/03/05  
Date of Next Scheduled EDR Contact: 04/04/05

### **HMIRS:** Hazardous Materials Information Reporting System

Source: U.S. Department of Transportation  
Telephone: 202-366-4555

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 09/08/04  
Database Release Frequency: Annually

Date of Last EDR Contact: 10/28/04  
Date of Next Scheduled EDR Contact: 01/17/05

### **MLTS:** Material Licensing Tracking System

Source: Nuclear Regulatory Commission  
Telephone: 301-415-7169

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 07/15/04  
Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/03/05  
Date of Next Scheduled EDR Contact: 04/04/05

### **MINES:** Mines Master Index File

Source: Department of Labor, Mine Safety and Health Administration  
Telephone: 303-231-5959

Date of Government Version: 09/13/04  
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 12/28/04  
Date of Next Scheduled EDR Contact: 03/28/05

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

### **NPL LIENS:** Federal Superfund Liens

Source: EPA

Telephone: 202-564-4267

Federal Superfund Liens. Under the authority granted the USEPA by the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/91

Database Release Frequency: No Update Planned

Date of Last EDR Contact: 11/22/04

Date of Next Scheduled EDR Contact: 02/21/05

### **PADS:** PCB Activity Database System

Source: EPA

Telephone: 202-564-3887

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 09/30/04

Database Release Frequency: Annually

Date of Last EDR Contact: 11/12/04

Date of Next Scheduled EDR Contact: 02/07/05

### **DOD:** Department of Defense Sites

Source: USGS

Telephone: 703-692-8801

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 10/01/03

Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 11/12/04

Date of Next Scheduled EDR Contact: 02/07/05

### **UMTRA:** Uranium Mill Tailings Sites

Source: Department of Energy

Telephone: 505-845-0011

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized. In 1978, 24 inactive uranium mill tailings sites in Oregon, Idaho, Wyoming, Utah, Colorado, New Mexico, Texas, North Dakota, South Dakota, Pennsylvania, and on Navajo and Hopi tribal lands, were targeted for cleanup by the Department of Energy.

Date of Government Version: 04/22/04

Database Release Frequency: Varies

Date of Last EDR Contact: 12/21/04

Date of Next Scheduled EDR Contact: 03/21/05

### **ODI:** Open Dump Inventory

Source: Environmental Protection Agency

Telephone: 800-424-9346

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/85

Database Release Frequency: No Update Planned

Date of Last EDR Contact: 05/23/95

Date of Next Scheduled EDR Contact: N/A

### **FUDS:** Formerly Used Defense Sites

Source: U.S. Army Corps of Engineers

Telephone: 202-528-4285

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/03

Database Release Frequency: Varies

Date of Last EDR Contact: 01/03/05

Date of Next Scheduled EDR Contact: 04/04/05

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

### **INDIAN RESERV:** Indian Reservations

Source: USGS

Telephone: 202-208-3710

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 10/01/03

Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 11/12/04

Date of Next Scheduled EDR Contact: 02/07/05

### **RAATS:** RCRA Administrative Action Tracking System

Source: EPA

Telephone: 202-564-4104

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/95

Database Release Frequency: No Update Planned

Date of Last EDR Contact: 12/06/04

Date of Next Scheduled EDR Contact: 03/07/05

### **TRIS:** Toxic Chemical Release Inventory System

Source: EPA

Telephone: 202-566-0250

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/02

Database Release Frequency: Annually

Date of Last EDR Contact: 12/20/04

Date of Next Scheduled EDR Contact: 03/21/05

### **TSCA:** Toxic Substances Control Act

Source: EPA

Telephone: 202-260-5521

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/02

Database Release Frequency: Every 4 Years

Date of Last EDR Contact: 12/06/04

Date of Next Scheduled EDR Contact: 03/07/05

### **FTTS INSP:** FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Source: EPA

Telephone: 202-564-2501

Date of Government Version: 04/13/04

Database Release Frequency: Quarterly

Date of Last EDR Contact: 12/01/04

Date of Next Scheduled EDR Contact: 03/21/05

### **SSTS:** Section 7 Tracking Systems

Source: EPA

Telephone: 202-564-5008

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/03

Database Release Frequency: Annually

Date of Last EDR Contact: 11/29/04

Date of Next Scheduled EDR Contact: 04/18/05

### **FTTS:** FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Source: EPA/Office of Prevention, Pesticides and Toxic Substances

Telephone: 202-564-2501

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/13/04  
Database Release Frequency: Quarterly

Date of Last EDR Contact: 12/01/04  
Date of Next Scheduled EDR Contact: 03/21/05

## **STATE OF GEORGIA ASTM STANDARD RECORDS**

### **SHWS:** Hazardous Site Inventory

Source: Department of Environmental Protection  
Telephone: 404-657-8600

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 07/01/04  
Date Made Active at EDR: 11/03/04  
Database Release Frequency: Annually

Date of Data Arrival at EDR: 10/19/04  
Elapsed ASTM days: 15  
Date of Last EDR Contact: 12/06/04

### **SWF/LF:** Solid Waste Disposal Facilities

Source: Department of Natural Resources  
Telephone: 404-362-2696  
Source: Center for GIS, Georgia Institute of Technology  
Telephone: 404-385-0900

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 12/07/04  
Date Made Active at EDR: 01/10/05  
Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 12/07/04  
Elapsed ASTM days: 34  
Date of Last EDR Contact: 11/29/04

### **LUST:** List of Leaking Underground Storage Tanks

Source: Environmental Protection Division  
Telephone: 404-362-2687

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 11/03/04  
Date Made Active at EDR: 01/17/05  
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 12/15/04  
Elapsed ASTM days: 33  
Date of Last EDR Contact: 01/12/05

### **UST:** Underground Storage Tank Database

Source: Environmental Protection Division  
Telephone: 404-362-2687

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 02/26/04  
Date Made Active at EDR: 03/31/04  
Database Release Frequency: Annually

Date of Data Arrival at EDR: 03/01/04  
Elapsed ASTM days: 30  
Date of Last EDR Contact: 01/14/05

### **HIST LF:** Historical Landfills

Source: Department of Natural Resources  
Telephone: 404-362-2696  
Landfills that were closed many years ago.

Date of Government Version: 01/15/03  
Date Made Active at EDR: 02/06/04  
Database Release Frequency: Varies

Date of Data Arrival at EDR: 01/20/04  
Elapsed ASTM days: 17  
Date of Last EDR Contact: 01/20/04

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## STATE OF GEORGIA ASTM SUPPLEMENTAL RECORDS

### **SPILLS:** Spills Information

Source: Department of Natural Resources

Telephone: 404-656-6905

Oil or Hazardous Material Spills or Releases.

Date of Government Version: 10/21/04

Database Release Frequency: Quarterly

Date of Last EDR Contact: 10/25/04

Date of Next Scheduled EDR Contact: 01/24/05

### **NON HSI:** Non-Hazardous Site Inventory

Source: Rindt-McDuff Associates, Inc.

Telephone: N/A

This list was obtained by EDR in 1998 and contains property listings that have reported contamination of soil or groundwater under the Georgia Hazardous Site Response Act (HSRA). These sites were not placed on the Georgia Priority list (Hazardous Site Inventory or HSI) because their hazard evaluation scores did not exceed the threshold levels established for sites posing an imminent threat to health or the environment. Disclaimer provided by Rindt-McDuff Associates - the database information has been obtained from publicly available sources produced by other entities. While reasonable steps have been taken to insure the accuracy of the data, RMA does not guarantee the accuracy of the data. No claim is made for the actual existence of pollution at any site. This data does not constitute a legal opinion.

Date of Government Version: 10/27/04

Database Release Frequency: Annually

Date of Last EDR Contact: 01/03/05

Date of Next Scheduled EDR Contact: 04/04/05

## EDR PROPRIETARY HISTORICAL DATABASES

**Former Manufactured Gas (Coal Gas) Sites:** The existence and location of Coal Gas sites is provided exclusively to EDR by Real Property Scan, Inc. ©Copyright 1993 Real Property Scan, Inc. For a technical description of the types of hazards which may be found at such sites, contact your EDR customer service representative.

### **Disclaimer Provided by Real Property Scan, Inc.**

The information contained in this report has predominantly been obtained from publicly available sources produced by entities other than Real Property Scan. While reasonable steps have been taken to insure the accuracy of this report, Real Property Scan does not guarantee the accuracy of this report. Any liability on the part of Real Property Scan is strictly limited to a refund of the amount paid. No claim is made for the actual existence of toxins at any site. This report does not constitute a legal opinion.

## BROWNFIELDS DATABASES

### **US BROWNFIELDS:** A Listing of Brownfields Sites

Source: Environmental Protection Agency

Telephone: 202-566-2777

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: N/A  
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: N/A  
Date of Next Scheduled EDR Contact: N/A

## **OTHER DATABASE(S)**

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

**Oil/Gas Pipelines:** This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

### **Electric Power Transmission Line Data**

Source: PennWell Corporation

Telephone: (800) 823-6277

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

**Sensitive Receptors:** There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

### **AHA Hospitals:**

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

### **Medical Centers: Provider of Services Listing**

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

### **Nursing Homes**

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

### **Public Schools**

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

### **Private Schools**

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

### **Daycare Centers: Child Care Centers**

Source: Department of Human Resources

Telephone: 404-651-5562

**Flood Zone Data:** This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

**NWI:** National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

### STREET AND ADDRESS INFORMATION

© 2003 Geographic Data Technology, Inc., Rel. 07/2003. This product contains proprietary and confidential property of Geographic Data Technology, Inc. Unauthorized use, including copying for other than testing and standard backup procedures, of this product is expressly prohibited.

## **GEOCHECK® - PHYSICAL SETTING SOURCE ADDENDUM**

### **TARGET PROPERTY ADDRESS**

7.87-ACRE MARIETTA SITE  
MANGET STREET AND FRASIER ST  
MARIETTA, GA 30060

### **TARGET PROPERTY COORDINATES**

Latitude (North):	33.945999 - 33° 56' 45.6"
Longitude (West):	84.538803 - 84° 32' 19.7"
Universal Transverse Mercator:	Zone 16
UTM X (Meters):	727461.9
UTM Y (Meters):	3758703.5
Elevation:	1127 ft. above sea level

EDR's GeoCheck Physical Setting Source Addendum has been developed to assist the environmental professional with the collection of physical setting source information in accordance with ASTM 1527-00, Section 7.2.3. Section 7.2.3 requires that a current USGS 7.5 Minute Topographic Map (or equivalent, such as the USGS Digital Elevation Model) be reviewed. It also requires that one or more additional physical setting sources be sought when (1) conditions have been identified in which hazardous substances or petroleum products are likely to migrate to or from the property, and (2) more information than is provided in the current USGS 7.5 Minute Topographic Map (or equivalent) is generally obtained, pursuant to local good commercial or customary practice, to assess the impact of migration of recognized environmental conditions in connection with the property. Such additional physical setting sources generally include information about the topographic, hydrologic, hydrogeologic, and geologic characteristics of a site, and wells in the area.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata. EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


### TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### TARGET PROPERTY TOPOGRAPHY

USGS Topographic Map: 33084-H5 MARIETTA, GA  
General Topographic Gradient: General SSE  
Source: USGS 7.5 min quad index

### SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

### FEMA FLOOD ZONE

<u>Target Property County</u>	<u>FEMA Flood</u>
COBB, GA	<u>Electronic Data</u>
	YES - refer to the Overview Map and Detail Map
Flood Plain Panel at Target Property:	13067C0050F
Additional Panels in search area:	13067C0055F

### NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u>	<u>NWI Electronic</u>
MARIETTA	<u>Data Coverage</u>
	YES - refer to the Overview Map and Detail Map

### HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION</u>	<u>GENERAL DIRECTION</u>
1	<u>FROM TP</u>	<u>GROUNDWATER FLOW</u>
	1/2 - 1 Mile SSW	Not Reported

For additional site information, refer to Physical Setting Source Map Findings.

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

### GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

#### ROCK STRATIGRAPHIC UNIT

Era: Paleozoic  
System: Ordovician  
Series: Lower Paleozoic granitic rocks  
Code: Pzg1 (decoded above as Era, System & Series)

#### GEOLOGIC AGE IDENTIFICATION

Category: Plutonic and Intrusive Rocks

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

### DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: sandy clay loam  
loam  
fine sandy loam

Surficial Soil Types: sandy clay loam  
loam  
fine sandy loam

Shallow Soil Types: clay  
sandy clay  
gravelly - loam

Deeper Soil Types: sandy loam  
loamy fine sand  
weathered bedrock

### ADDITIONAL ENVIRONMENTAL RECORD SOURCES

According to ASTM E 1527-00, Section 7.2.2, "one or more additional state or local sources of environmental records may be checked, in the discretion of the environmental professional, to enhance and supplement federal and state sources... Factors to consider in determining which local or additional state records, if any, should be checked include (1) whether they are reasonably ascertainable, (2) whether they are sufficiently useful, accurate, and complete in light of the objective of the records review (see 7.1.1), and (3) whether they are obtained, pursuant to local, good commercial or customary practice." One of the record sources listed in Section 7.2.2 is water well information. Water well information can be used to assist the environmental professional in assessing sources that may impact groundwater flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

### WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

### FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

### FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		

Note: PWS System location is not always the same as well location.

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### STATE DATABASE WELL INFORMATION

MAP ID


WELL ID

LOCATION  
FROM TP

No Wells Found



# PHYSICAL SETTING SOURCE MAP - 1350654.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons
- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Wildlife Areas

TARGET PROPERTY: 7.87-Acre Marietta Site  
 ADDRESS: Manget Street and Frasier St  
 CITY/STATE/ZIP: Marietta GA 30060  
 LAT/LONG: 33.9460 / 84.5388

CUSTOMER: Geo-Hydro Engineers, Inc.  
 CONTACT: John O'Brien  
 INQUIRY #: 1350654.2s  
 DATE: January 28, 2005 3:07 pm

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database

EDR ID Number

**1**  
**SSW**  
**1/2 - 1 Mile**  
**Lower**

Site ID: 0-330494  
Groundwater Flow: Not Reported  
Shallow Water Depth: 15  
Deep Water Depth: 21  
Average Water Depth: Not Reported  
Date: 12/15/1997

**AQUIFLOW 26880**

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

### AREA RADON INFORMATION

Federal EPA Radon Zone for COBB County: 1

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level  $\geq$  2 pCi/L and  $\leq$  4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

---

Federal Area Radon Information for Zip Code: 30060

Number of sites tested: 3

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	2.500 pCi/L	67%	33%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	0.800 pCi/L	100%	0%	0%

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

### **USGS 7.5' Digital Elevation Model (DEM)**

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002. 7.5-Minute DEMs correspond to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps.

## HYDROLOGIC INFORMATION

**Flood Zone Data:** This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

**NWI:** National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

## HYDROGEOLOGIC INFORMATION

### **AQUIFLOW<sup>R</sup> Information System**

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

### **Geologic Age and Rock Stratigraphic Unit**

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

### **STATSGO: State Soil Geographic Database**

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

## ADDITIONAL ENVIRONMENTAL RECORD SOURCES

### **FEDERAL WATER WELLS**

#### **PWS: Public Water Systems**

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

#### **PWS ENF: Public Water Systems Violation and Enforcement Data**

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

#### **USGS Water Wells: USGS National Water Inventory System (NWIS)**

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## STATE RECORDS

### Georgia Public Supply Wells

Source: Georgia Department of Community Affairs  
Telephone: 404-894-0127

### USGS Georgia Water Wells

Source: USGS, Georgia District Office  
Telephone: 770-903-9100

## RADON

### Area Radon Information

Source: USGS  
Telephone: 703-356-4020  
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

### EPA Radon Zones

Source: EPA  
Telephone: 703-356-4020  
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

## OTHER

### Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

### Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration